

NAME

more, page – browse or page through a text file

SYNOPSIS

/usr/bin/more [-cdfllrsuw] [-lines] [+ *linenumber*] [+/ *pattern*] [*file...*]

/usr/bin/page [-cdfllrsuw] [-lines] [+ *linenumber*] [+/ *pattern*] [*file...*]

/usr/xpg4/bin/more [-cdeisu] [-n *number*] [-p *command*] [-t *tagstring*] [*file...*]

/usr/xpg4/bin/more [-cdeisu] [-n *number*] [+ *command*] [-t *tagstring*] [*file...*]

DESCRIPTION

The **more** utility is a filter that displays the contents of a text file on the terminal, one screenful at a time. It normally pauses after each screenful. **/usr/bin/more** then prints **--More--** and **/usr/xpg4/bin/more** then prints *file* at the bottom of the screen. If **more** is reading from a file rather than a pipe, the percentage of characters displayed so far is also shown.

The **more** utility scrolls up to display one more line in response to a **RETURN** character. **more** displays another screenful in response to a **SPACE** character. Other commands are listed below.

The **page** utility clears the screen before displaying the next screenful of text. **page** only provides a one-line overlap between screens.

The **more** utility sets the terminal to **NOECHO** mode, so that the output can be continuous. Commands that you type do not normally show up on your terminal, except for the **/** and **!** commands.

The **/usr/bin/more** utility exits after displaying the last specified file. **/usr/xpg4/bin/more** prompts for a command at the last line of the last specified file.

If the standard output is not a terminal, **more** acts just like **cat(1)**, except that a header is printed before each file in a series.

OPTIONS

The following options are supported for both **/usr/bin/more** and **/usr/xpg4/bin/more**:

- c Clears before displaying. Redraws the screen instead of scrolling for faster displays. This option is ignored if the terminal does not have the ability to clear to the end of a line.
- d Displays error messages rather than ringing the terminal bell if an unrecognized command is used. This is helpful for inexperienced users.
- s Squeeze. Replaces multiple blank lines with a single blank line. This is helpful when viewing **nroff(1)** output on the screen.

/usr/bin/more

The following options are supported for **/usr/bin/more** only:

- f Does not fold long lines. This is useful when lines contain nonprinting characters or escape sequences, such as those generated when **nroff(1)** output is piped through **ul(1)**.

- l** Does not treat **FORMFEED** characters (Control-l) as page breaks. If **-l** is not used, **more** pauses to accept commands after any line containing a **^L** character (Control-l). Also, if a file begins with a **FORMFEED**, the screen is cleared before the file is printed.

- r** Normally, **more** ignores control characters that it does not interpret in some way. The **-r** option causes these to be displayed as **^C** where **C** stands for any such control character.

- u** Suppresses generation of underlining escape sequences. Normally, **more** handles underlining, such as that produced by **nroff(1)**, in a manner appropriate to the terminal. If the terminal can perform underlining or has a stand-out mode, **more** supplies appropriate escape sequences as called for in the text file.

- w** Normally, **more** exits when it comes to the end of its input. With **-w**, however, **more** prompts and waits for any key to be struck before exiting.

- lines** Displays the indicated number of *lines* in each screenful, rather than the default (the number of lines in the terminal screen less two).

- +linenumber** Start up at *linenumber*.

- +/pattern** Start up two lines above the line containing the regular expression *pattern*. *Note:* Unlike editors, this construct should *not* end with a *'/.'* If it does, then the trailing slash is taken as a character in the search pattern.

/usr/xpg4/bin/more

The following options are supported for **/usr/xpg4/bin/more** only:

- e** Exits immediately after writing the last line of the last file in the argument list.

- i** Performs pattern matching in searches without regard to case.

- n number** Specifies the number of lines per screenful. The *number* argument is a positive decimal integer. The **-n** option overrides any values obtained from the environment.

-p *command*
+command

For each file examined, initially executes the **more** command in the *command* argument. If the command is a positioning command, such as a line number or a regular expression search, set the current position to represent the final results of the command, without writing any intermediate lines of the file. For example, the two commands:

more -p 1000j file
more -p 1000G file

are equivalent and start the display with the current position at line 1000, bypassing the lines that **j** would write and scroll off the screen if it had been issued during the file examination. If the positioning command is unsuccessful, the first line in the file will be the current position.

-t *tagstring*

Writes the screenful of the file containing the tag named by the *tagstring* argument. See the **ctags(1)** utility.

-u

Treats a backspace character as a printable control character, displayed as a ^H (Control-h), suppressing backspacing and the special handling that produces underlined or standout-mode text on some terminal types. Also, does not ignore a carriage-return character at the end of a line.

If both the **-t** *tagstring* and **-p** *command* (or the obsolescent **+command**) options are given, the **-t** *tagstring* is processed first.

USAGE

Environment

more uses the terminal's **terminfo(4)** entry to determine its display characteristics.

more looks in the environment variable **MORE** for any preset options. For instance, to page through files using the **-c** mode by default, set the value of this variable to **-c**. (Normally, the command sequence to set up this environment variable is placed in the **.login** or **.profile** file).

Commands

The commands take effect immediately. It is not necessary to type a carriage return unless the command requires a *file*, *command*, *tagstring*, or *pattern*. Up to the time when the command character itself is given, the user may type the line kill character to cancel the numerical argument being formed. In addition, the user may type the erase character to redisplay the '**--More--(xx%)**' or *file* message.

In the following commands, *i* is a numerical argument (**1** by default).

i<**SPACE**> Display another screenful, or *i* more lines if *i* is specified.

i<**RETURN**> Display another line, or *i* more lines, if specified.

<i>i</i>b <i>i</i>^B	(Control-b) Skip back <i>i</i> screenfuls and then print a screenful.
<i>i</i>d <i>i</i>^D	(Control-d) Scroll forward one half screenful or <i>i</i> more lines. If <i>i</i> is specified, the count becomes the default for subsequent d and u commands.
<i>i</i>f	Skip <i>i</i> screens full and then print a screenful.
h	Help. Give a description of all the more commands.
^L	(Control-l) Refresh.
<i>i</i>n	Search for the <i>i</i> th occurrence of the last <i>pattern</i> entered.
q Q	Exit from more .
<i>i</i>s	Skip <i>i</i> lines and then print a screenful.
v	Drop into the vi editor at the current line of the current file.
<i>i</i>z	Same as <SPACE> , except that <i>i</i> , if present, becomes the new default number of lines per screenful.
=	Display the current line number.
<i>i</i>/pattern	Search forward for the <i>i</i> th occurrence of the regular expression <i>pattern</i> . Display the screenful starting two lines before the line that contains the <i>i</i> th match for the regular expression <i>pattern</i> , or the end of a pipe, whichever comes first. If more is displaying a file and there is no match, its position in the file remains unchanged. Regular

expressions can be edited using erase and kill characters. Erasing back past the first column cancels the search command.

- !*command*** Invoke a shell to execute *command*. The characters **%** and **!**, when used within *command* are replaced with the current filename and the previous shell command, respectively. If there is no current filename, **%** is not expanded. Prepend a backslash to these characters to escape expansion.
- :f** Display the current filename and line number.
- :n** Skip to the *i*th next filename given in the command line, or to the last filename in the list if *i* is out of range.
- :p** Skip to the *i*th previous filename given in the command line, or to the first filename if *i* is out of range. If given while **more** is positioned within a file, go to the beginning of the file. If **more** is reading from a pipe, **more** simply rings the terminal bell.
- :q** Exit from **more** (same as **q** or **Q**).
- :Q**

/usr/bin/more

The following commands are available only in **/usr/bin/more**:

- '** Single quote. Go to the point from which the last search started. If no search has been performed in the current file, go to the beginning of the file.
- .** Dot. Repeat the previous command.
- ^** Halt a partial display of text. **more** stops sending output, and displays the usual **--More--** prompt. Some output is lost as a result.

/usr/xpg4/bin/more

The following commands are available only in **/usr/xpg4/bin/more**:

- i^F** (Control-f) Skip *i* screens full and print a screenful. (Same as *if*.)

^G	(Control-g) Display the current line number (same as =).
i g	Go to line number <i>i</i> with the default of the first line in the file.
i G	Go to line number <i>i</i> with the default of the Last line in the file.
i j	Display another line, or <i>i</i> more lines, if specified. (Same as <i>i</i> < RETURN >.)
i k	Scroll backwards one or <i>i</i> lines, if specified.
m <i>letter</i>	Mark the current position with the name <i>letter</i> .
N	Reverse direction of search.
r	Refresh the screen.
R	Refresh the screen, discarding any buffered input.
i u i ^ U	(Control-u) Scroll backwards one half a screen of <i>i</i> lines, if specified. If <i>i</i> is specified, the count becomes the new default for subsequent d and u commands.
ZZ	Exit from more (same as q).
:e <i>file</i>	Examine (display) a new file. If no <i>file</i> is specified, the current file is redisplayed.
:t <i>tagstring</i>	Go to the tag named by the <i>tagstring</i> argument and scroll/rewrite the screen with the tagged line in the current position. See the ctags utility.

<i>'letter</i>	Return to the position that was previously marked with the name <i>letter</i> .
<i>''</i>	Return to the position from which the last move of more than a screenful was made. Defaults to the beginning of the file.
<i>i?[!]<i>pattern</i></i>	Search backward in the file for the <i>i</i> th line containing the <i>pattern</i> . The <i>!</i> specifies to search backward for the <i>i</i> th line that does not contain the <i>pattern</i> .
<i>i!<i>pattern</i></i>	Search forward in the file for the <i>i</i> th line that does not contain the pattern.
<i>!<i>command</i></i>	Invoke a shell or the specified command.

Large File Behavior

See **largefile**(5) for the description of the behavior of **more** and **page** when encountering files greater than or equal to 2 Gbyte (2^{31} bytes).

ENVIRONMENT VARIABLES

See **environ**(5) for descriptions of the following environment variables that affect the execution of **more**: **LANG**, **LC_ALL**, **LC_COLLATE** (*/usr/xpg4/bin/more* only), **LC_CTYPE**, **LC_MESSAGES**, **NLS_PATH**, and **TERM**.

/usr/xpg4/bin/more

The following environment variables also affect the execution of */usr/xpg4/bin/more*:

COLUMNS	Overrides the system selected horizontal screen size.
EDITOR	Used by the v command to select an editor.
LINES	Overrides the system selected vertical screen size. The -n option has precedence over LINES in determining the number of lines in a screen.
MORE	A string specifying options as described in the OPTIONS section, above. As in a command line, The options must be separated by blank characters and each option specification must start with a - . Any command line options are processed after those specified in MORE as though the command line were: more \$MORE options operands

EXIT STATUS

The following exit values are returned:

0 Successful completion.

>0 An error occurred.

FILES

/usr/lib/more.help help file for **/usr/bin/more** and **/usr/bin/page** only.

ATTRIBUTES

See **attributes(5)** for descriptions of the following attributes:

/usr/bin/more /usr/bin/page

tab() allbox; cw(2.750000i)| cw(2.750000i) lw(2.750000i)| lw(2.750000i). ATTRIBUTE
TYPEATTRIBUTE VALUE AvailabilitySUNWcsu CSINot enabled

/usr/xpg4/bin/more

tab() allbox; cw(2.750000i)| cw(2.750000i) lw(2.750000i)| lw(2.750000i). ATTRIBUTE
TYPEATTRIBUTE VALUE AvailabilitySUNWxcu4 CSIEnabled Interface StabilityStandard

SEE ALSO

cat(1), **csh(1)**, **ctags(1)**, **man(1)**, **nroff(1)**, **script(1)**, **sh(1)**, **ul(1)**, **environ(4)**, **terminfo(4)**, **attributes(5)**,
environ(5), **largefile(5)**, **standards(5)**

/usr/bin/more /usr/bin/page

regcomp(3C)

/usr/xpg4/bin/more

regex(5)

NOTES**/usr/bin/more**

Skipping backwards is too slow on large files.

/usr/xpg4/bin/more

This utility will not behave correctly if the terminal is not set up properly.