

NAME

tee – replicate the standard output

SYNOPSIS

tee [-ai] [*file*...]

DESCRIPTION

The **tee** utility will copy standard input to standard output, making a copy in zero or more files. **tee** will not buffer its output. The options determine if the specified files are overwritten or appended to.

OPTIONS

The following options are supported.

-a Appends the output to the files rather than overwriting them.

-i Ignores interrupts.

OPERANDS

The following operands are supported:

file A path name of an output file. Processing of at least 13 *file* operands will be supported.

USAGE

See **largefile(5)** for the description of the behavior of **tee** when encountering files greater than or equal to 2 Gbyte (2^{31} bytes).

ENVIRONMENT VARIABLES

See **environ(5)** for descriptions of the following environment variables that affect the execution of **tee**: **LANG**, **LC_ALL**, **LC_CTYPE**, **LC_MESSAGES**, and **NLSPATH**.

EXIT STATUS

The following exit values are returned:

0 The standard input was successfully copied to all output files.

>0 The number of files that could not be opened or whose status could not be obtained.

ATTRIBUTES

See **attributes(5)** for descriptions of the following attributes:

tab()	allbox;	cw(2.750000i)	cw(2.750000i)	lw(2.750000i)	lw(2.750000i).	ATTRIBUTE
TYPEATTRIBUTE	VALUE	Availability	SUNWcsu	CSIE	Enabled	Interface
		Stability	Standard			

SEE ALSO

cat(1), **attributes(5)**, **environ(5)**, **largefile(5)**, **standards(5)**