

# References

- Agosti, M., Crestani, F., & Melucci, M. (1997). On the use of information retrieval techniques for the automatic construction of hypertext. *Information Processing and Management*, 33(2), 133-144.
- Allan, J. (1996). Automatic hypertext link typing. In *Proceedings for the hypertext '96 conference* (p. 42-52). Washington, DC, USA: ACM.
- Allan, J. (1997). Building hypertext using information retrieval. *Information Processing and Management*, 33(2), 145-159.
- Allen, R. B. (1997). Mental models and user models. In M. Helander, T. Landauer, & P. Prabhu (Eds.), *Handbook of Human-Computer Interaction*. Amsterdam: Elsevier.
- Anderson, J. (1973). *Human associative memory*. Washington, DC: V.H. Winston.
- Anderson, J. R. (1983). A spreading activation theory of memory. *Journal of Verbal Learning and Verbal Behaviour*, 22, 261-295.
- APA. (1999). *Standards for educational and psychological testing*. Washington, DC: American Psychological Association.
- Arens, E., Hovy, E., & Vossers, M. (1998). On the knowledge underlying multimedia presentations. In M. T. Maybury & W. Wahlster (Eds.), *Intelligent User Interfaces (Readings in)*. San Francisco, California: Morgan Kaufman Publishers, Inc.
- Arocena, G. O., Mendelzon, A. O., & Mihaila, G. A. (1997). Applications of a web query language. *Computer Networks and ISDN Systems*, 29(8-13), 1305-1316.

- Asnicar, F. A., Fant, M. D., & Tasso, C. (1997). User model-based information filtering. In M. Lenzerini (Ed.), *AI\*IA 97: Advances in Artificial Intelligence, 5th Congress of the Italian Association for Artificial Intelligence* (pp. 242–253). Roma, Italy.
- Bachiochi, D., Berstene, M., Chouinard, E., Conlan, N., Danchak, M., Furey, T., Neligon, C., & Way, D. (1997). Usability studies and designing navigational aids for the world wide web. *Computer Networks and ISDN Systems*, *29*, 1489–1496.
- Balabanovic, M. (1998). Exploring versus exploiting when learning user models for text recommendation. *UMUAI*, *8*(1-2), 71-102.
- Bar-Ilan, J. (1998). On the overlap, the precision and estimated recall of search engines. a case study of the query erdos. *Scientometrics*, *42*(2), 207–228.
- Berk, E., & Devlin, J. (1991). *Hypertext and hypermedia handbook*. London: McGraw-Hill.
- Berners-Lee, T., Cailleau, R., Groff, J., & Pollerman, B. (1992). World wide web: The information universe. *Electronic Networking: Research, Applications and Policy*.
- Bernstein, M. (1998). Patterns of hypertext. In *Hypertext 98* (pp. 21–29). Pittsburgh, PA: ACM.
- Berry, M. W., & Browne, M. (1999). *Understanding search engines : mathematical modeling and text retrieval*. Philadelphia, Pa.: Society for Industrial and Applied Mathematics.
- Bieber, M., Marshall, C., Retallack, D. S., & Vercroustre, A. (1998). Panel abstract: Will hypertext become the Web's missing link. *Computer Networks and ISDN Systems*, *30*(1–7), 754–756.
- Bieber, M., Vitali, F., Ashman, H., Balsubramanian, V., & Oinas-Kukkonen, H. (1997). Fourth generation hypermedia: some missing links for the world wide web. *International Journal of Human-Computer Studies*, *47*(1), 67–95.
- Blustein, J., Webber, R. E., & Tague-Sutcliffe, J. (1997). Methods for evaluating the quality of hypertext links. *Information Processing and Management*, *33*(2), 255–271.

- Bollen, J. (1994). The principia cybernetica web: a knowledge base for systems research. *International Federation for Systems Research Newsletter*, 34.
- Bollen, J. (1995). Adaptive hypertext networks that learn the common semantics of their users. In *Proceedings of the 14th Int. Congress on Cybernetics* (pp. 251–255). Namur: International Association of Cybernetics.
- Bollen, J. (1999). Cognitive complexity vs. connectivity: efficiency analysis of hypertext networks. In F. Heylighen, J. Bollen, & A. Riegler (Eds.), *The Evolution of Complexity* (p. 345–368). Dordrecht: Kluwer Academic Publishers.
- Bollen, J. (2000). Group user models for personalized hyperlink recommendation. In *LNCS 1892 - International Conference on Adaptive Hypermedia and Adaptive Web-based Systems (AH2000)* (pp. 39–50). Trento: Springer Verlag.
- Bollen, J., & Heylighen, F. (1996). Algorithms for the self-organization of distributed, multi-user networks. In R. Trappl (Ed.), *Proceedings of the 13th European Meeting on Cybernetics and Systems Research* (pp. 911–917). Vienna, Austria: Austrian Society for Cybernetic Studies.
- Bollen, J., & Heylighen, F. (1997). Dynamic and adaptive structuring of the world wide web based on user navigation patterns. In *Proceedings of the Flexible Hypertext Workshop* (pp. 13–17). Sydney: Macquarie Computing Reports.
- Bollen, J., & Heylighen, F. (1998). A system to restructure hypertext networks into valid user models. *The New Review of Hypermedia and Multimedia*, 4, 189–213.
- Bollen, J., Heylighen, F., & Rooy, D. van. (1998). Improving memetic evolution in hypertext and the www. In *Proceedings of the 15th International Congress on Cybernetics* (pp. 449–454). Namur: International Association of Cybernetics.
- Bollen, J., & Rocha, L. M. (2000). An adaptive systems approach to the implementation and evaluation of digital library recommendation systems. In *LNCS - Fourth European Conference on Research and Advanced Technology for Digital Libraries (ECDL2000)*. Lisbon: Springer Verlag.

- Bollen, J., Vandesompele, H., & Rocha, L. M. (1999). Mining associative relations from website logs and their application to context-dependent retrieval using spreading activation. In *Proceedings of the Workshop on Organizing Webspaces (ACM-DL99)*. Berkeley, California: in preparation.
- Bonabeau, E., Dorigo, M., & Theraulaz, G. (1999). *Swarm intelligence : from natural to artificial systems*. New York: Oxford University Press.
- Borgatti, S. P., Everett, M. G., & Freeman, L. C. (1999). *UCINET5.0 version 1.00*. Analytic Technologies.
- Botee, H., & Bonabeau, E. (1999). Evolving ant colony optimization. *Advances in Complex Systems*, 1(2-3), 149 – 159.
- Boughanem, M., Chrismont, C., & SouleDupuy, C. (1999). Query modification based on relevance back-propagation in an ad hoc environment. *Information Processing and Management*, 35(2), 121 – 139.
- Brereton, P., Budgen, D., & Hamilton, G. (1998). Hypertext: the next maintenance mountain. *Computer*, 31(12), 49–55.
- Brown, P. J. (1987). Turning ideas into products: The guide system. In *Proceedings of the ACM conference on Hypertext* (p. 33-40). Chapel Hill, NC.
- Brusilovsky, P. (1996). Methods and techniques of adaptive hypermedia. *User Modeling and User-Adapted Interaction*, 6(2-3), 87–129.
- Bush, V. (1945). As we may think. *Atlantic Monthly*, 176(1), 101–108.
- Card, S. K., Moran, T. P., & Newell, A. (1983). *The psychology of human-computer interaction*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Carmel, E., Crawford, S., & Chen, H. (1992). Browsing in hypertext: a cognitive study. *IEEE Transactions on Systems, Man and Cybernetics*, 22(5), 865–884.
- Catledge, L. D., & Pitkow, J. E. (1995). Characterizing browsing strategies in the world wide web. *Computer Networks and ISDN Systems*, 27, 1065–1073.
- Chakrabarti, S., Dom, B., Raghavan, P., Rajagopalan, S., Gibson, D., & Kleinberg, J. (1998). Automatic resource compilation by analyzing

- hyperlink structure and associated text. In *Proc. 7th International World Wide Web Conference*. Brisbane, Australia.
- Chakrabarti, S., Dom, B. E., Kumar, S. R., Raghavan, P., Rajagopalan, S., Tomkins, A., Gibson, D., & Kleinberg, J. (1999). Mining the web's link structure. *Computer*, *32*(8), 60–67.
- Chakrabarti, S., van den Berg, M., & Dom, B. (1999). Focused crawling: a new approach to topic-specific web resource discovery. *Computer Networks*, *31*(11–16), 1623–1640.
- Chan, P. K. (1999). Constructing web user profiles: a non-invasive learning approach. In B. Masand & M. Spiliopoulou (Eds.), *Web usage analysis and user profiling - LNAI 1836*. San Diego, CA: Springer.
- Chen, C., & Czerwinski, M. (1998). From latent semantic to spatial hypertext: An integrated approach. In *Hypertext 98* (pp. 77–86). Pittsburgh, PA: ACM.
- Chi, H., Pirolli, P., Chen, K., & Pitkow, J. (2001). Using information scent to model user information needs and actions and the web. In *Conference on Human Factors and Computing Systems* (pp. 490 – 497). Seattle, WA.
- Chi, H., Pirolli, P., & Pitkow, J. (2000). The scent of a site: a system for analyzing and predicting information scent, usage, and usability of a web site. In *Proceedings of the CHI 2000 conference on Human Factors in Computing Systems* (pp. 161 – 168). The Hague, Netherlands.
- Cho, J., Garcia-Molina, H., & Page, L. (1998). Efficient crawling through URL ordering. *Computer Networks and ISDN Systems*, *30*, 161–172.
- Cohen, P. R., & Feigenbaum, E. A. (Eds.). (1982). *Handbook of artificial intelligence* (Vol. 3). Los Altos, CA: William Kaufman.
- Cohen, P. R., & Kjeldsen, R. (1987). Information retrieval by constrained spreading activation in semantic networks. *Information Processing and Management*, *23*(4), 255–268.
- Collins, A., & Loftus, E. (1975). A spreading activation theory of semantic processing. *Psychological Review*, *82*, 407–428.
- Coloni, A., Dorigo, M., & Maniezzo, V. (1992). Distributed optimization by ant colonies. In *Proceedings of the First European Conference on Artificial Life* (pp. 134 – 142). Paris, France.

- Conklin, J. (1987). Hypertext: an introductory survey. *IEEE Computer*, September.
- Cormen, T. H., Leiserson, C. E., & Rivest, R. L. (1997). *Introduction to algorithms*. Cambridge, Massachusetts: The MIT press.
- Cove, J., & Walsh, B. (1988). On-line text retrieval via browsing. *Information Processing and Management*, 24(1), 31–37.
- Crestani, F. (1997). Application of spreading activation techniques in information retrieval. *Artificial Intelligence Review*, 11(6), 453–582.
- Crestani, F., & Lee, P. L. (2000). Searching the web by constrained spreading activation. *Information Processing and Management*, 36(4), 585–605.
- Crestani, F., & Melucci, M. (1998). A case study of automatic authoring: From a textbook to a hyper-textbook. *Data and Knowledge Engineering*, 27(1), 1–30.
- Croft, W. B. (1987). Contributions from ir research. *Information Processing and Management*, 23(4), 249–254.
- Croft, W. B., & Thompson, R. H. (1987). I3r: A new approach to the design of document retrieval systems. *Journal of the American Society for Information Science*, 38(6), 389–404.
- Croft, W. B., & Turtle, H. R. (1993). Retrieval strategies for hypertext. *Information Processing and Management*, 29(3), 313–324.
- Dalal, N. P., Quible, Z., & Wyatt, K. (2000). Cognitive design of home pages: an experimental study of comprehension on the world wide web. *Information Processing and Management*, 36(4), 607–621.
- Darken, R. P., & Sibert, J. L. (1996). Wayfinding strategies and behaviors in large virtual worlds. In *Conference proceedings on Human Factors in Computing Systems* (pp. 142–149). Vancouver Canada: ACM.
- Dawkins, R. (1976). *The selfish gene*. New York: Oxford University Press.
- Deco, G., & Parra, L. (1995). Unsupervised learning for boltzman machines. *Network: Computation in Neural Systems*, 6(3), 437 – 448.

- Dillon, A. (1996). Myths, misconceptions, and an alternative perspective on information usage and the electronic medium. In J. Rouet (Ed.), *Hypertext and cognition*. Hillsdale, New Jersey: Lawrence Erlbaum Publishers.
- Dong, D. W., & Hopfield, J. J. (1992). Dynamic properties of neural networks with adapting synapses. *Network*, 3(3), 267 – 283.
- Drakos, N. (1994). From text to hypertext: A post-hoc rationalisation of latex2html. *Computer Networks and ISDN Systems*, 27(2), 215–224.
- Edwards, D., & Hardman, L. (1989). Lost in hyperspace: Cognitive mapping and navigation in a hypertext environment. In R. McAleese (Ed.), *Hypertext: Theory into practice*. New Jersey: Ablex Publishing Corporation.
- Engelbart, D. C. (1962). *Augmenting human intellect: A conceptual framework* (Summary Report Nos. AFOSR-3223 - Contract AF49(638)-1024, SRI Project 3578). Menlo Park, CA: Air Force Office of Scientific Research, Stanford Research Institute.
- Foltz, P. W. (1990). Using latent semantic indexing for information filtering. In R. B. Allen (Ed.), *Proceedings of the Conference on Office Information Systems* (pp. 40–47). Cambridge, MA.
- Franzke, M. (1995). Turning research into practice: characteristics of display-based interaction. In *Conference proceedings on Human Factors in Computing Systems* (pp. 421 – 428). Denver, CO: ACM.
- Frei, H., & Stieger, D. (1992). Making use of hypertext links when retrieving information. In *Conference on Hypertext and Hypermedia, Proceedings of the ACM Conference on Hypertext* (pp. 102–111). Milano, Italy.
- Frei, H., & Stieger, D. (1995). The use of semantic links in hypertext information retrieval. *Information Processing and Management*, 31(1), 1–13.
- Furner, J., Ellis, D., & Willett, P. (1996). The representation and comparison of hypertext structures using graphs. In M. Agosti & A. F. Smeaton (Eds.), *Information retrieval and hypertext* (p. 75-96). Dordrecht: Kluwer Academic Publishers.
- Ginige, A., Lowe, D. B., & Robertson, J. (1995). Hypermedia authoring. *IEEE Multimedia*, 2(4), 24–35.

- Goldfarb, C. F. (1991). Standards-hytime: a standard for structured hypermedia interchange. *Computer*, *24*(8), 81–84.
- Gordon, M., & Pathak, P. (1998). Finding information on the world wide web: The retrieval effectiveness of search engines. *Information Processing and Management*, *35*, 141–180.
- Gray, S. H. (1993). *Hypertext and the technology of conversation - orderly situational choice*. Westport, Connecticut: Greenwood Press.
- Green, S. J. (1999). Building hypertext links by computing semantic similarity. *IEEE Transactions on Knowledge and Data Engineering*, *11*(5), 713–730.
- Grossman, D. A., & Frieder, O. (1998). *Information retrieval. Algorithms and Heuristics*. Boston: Kluwer Academic Publishers.
- Gundavaram, S. (1996). *CGI programming on the world wide web*. Sebastopol, CA: O'Reilly.
- Hall, P. A. V., & Dowling, G. R. (1980). Approximate string matching. *ACM Computing Surveys*, *12*(4), 381–402.
- Harman, D. (1995). The TREC conferences. In R. Kuhlen & M. Rittberger (Eds.), *Proceedings of Hypertext, Information Retrieval and Multimedia: Synergieeffekte Elektronischer Informationssysteme* (pp. 9–28). Konstanz.
- Harvey, C. F., Smith, P., & Lund, P. (1998). Providing a networked future for interpersonal information retrieval: Infovine and user modeling. *Interacting with Computers*, *10*, 195–212.
- Haykin, S. (1999). *Neural networks. a comprehensive foundation*. New Jersey, USA: Prentice Hall.
- Hebb, D. O. (1949). *The organization of behavior*. New York: John Wiley.
- Herlocker, J. L., Konstan, J. A., Borchers, A., & Riedl, J. (1999). An algorithmic framework for performing collaborative filtering. In *Proceedings on the 22nd Annual International ACM SIGIR Conference on Research and Development in Information Retrieval* (pp. 230–237). Berkeley, CA.
- Heylighen, F. (1992). Selfish memes and the evolution of cooperation. *Journal of Ideas*, *2*, 77–84.

- Heylighen, F. (1999). Collective intelligence and its implementation on the web: algorithms to develop a collective mental map. *Computational and Mathematical Theory of Organizations*, 5(3), 253–280.
- Heylighen, F., & Bollen, J. (1996). The world-wide web as a super-brain: from metaphor to model. In R. Trappl (Ed.), *Cybernetics and Sstems '96* (pp. 917–925). Austrian Society for Cybernetic Studies.
- Hinton, G., & Anderson, J. (1981). *Parallel models of associative memory*. New Jersey: Hillsdale Publishers.
- Hopfield, J. J., & Tank, D. W. (1986). Computing with neural circuits: A model. *Science*, 233(4764), 625 – 633.
- Houselander, P. K., & Taylor, J. T. (1990). Comparing performance of hebbian- and delta-trained hopfield networks. *Electronic Letters*, 26(2), 85 – 87.
- Huberman, B. A., Pirolli, P. L. T., Pitkow, J. E., & Lukose, R. M. (1998). Strong regularities in world wide web surfing. *Science*, 280(5360), 95-97.
- Hubert, L., & Schultz, J. (1976). Quadratic assignment as a general data analysis strategy. *British Journal of Mathematical and Statistical Psychology*, 29, 190–241.
- Jenkins, C., Jackson, M., Burden, P., & Wallis, J. (1998). Searching the world wide web: an evaluation of available tools and methodologies. *Information and Software Technology*, 39(14–15), 985–994.
- Joachims, T., Freitag, D., & Mitchell, T. (1997). Webwatcher: A tour guide for the world wide web. In *Fifteenth International Joint Conference on Artificial Intelligence (IJCAI-97)*. Nagoya, Aichi, Japan.
- Johansson, S., & Hofland, K. (1989). *Frequency analysis of english vocabulary and grammar: based on the LOB corpus*. Oxford: Clarendon Press.
- Johnson-Laird, P. N. (1981). Mental models in cognitive science. In D. A. Norman (Ed.), *Perspectives on cognitive science* (pp. 147–191). New Jersey: Ablex Publishing Corporation.
- Johnson-Laird, P. N. (1983). *Mental models. towards a cognitive science of language, inference and consciousness*. Cambridge, Massachusetts: Harvard University Press.

- Jonassen, D. (1990a). Problems and issues in designing hypertext/hypermedia for learning. In D. Jonassen & H. Mandl (Eds.), *Designing hypermedia for learning* (pp. 3–25). Berlin: Springer-Verlag.
- Jonassen, D. (1990b). Semantic network elicitation: Tools for structuring of hypertext. In R. McAleese & C. Green (Eds.), *Hypertext: The state of the art*. London: Intellect.
- Jonassen, D., & Mandl, H. (1990). *Designing hypermedia for learning*. Berlin: Springer-Verlag.
- Jonassen, D. H. (1995). Operationalizing mental models. In J. L. Schnase & E. L. Cunnius (Eds.), *Proceedings of the computer supported collaborative learning conference*. Bloomington, IN.
- Jonassen, D. H., Beissner, K., & Yacci, M. (1993). *Structural knowledge : techniques for representing, conveying, and acquiring structural knowledge*. Hillsdale, NJ: Lawrence Erlbaum.
- Jones, M., & Myers, D. (1988). *Hands-on HyperCard: designing your own applications*. New York: J. Wiley.
- Jun-Tae, K., & Moldovan, D. I. (1993). Classification and retrieval of knowledge on a parallel marker-passing architecture. *IEEE Transactions on Knowledge and Data Engineering*, 5, 753 – 761.
- Kaplan, C., Fenwick, J., & Chen, J. (1993). Adaptive hypertext navigation based on user goals and context. *User Models and User Adapted Interaction*, 3(2), 193–220.
- Kemp, B., & Buckner, K. (1999). A taxonomy of design guidance for hypermedia design. *Interacting with Computers*, 12(2), 143–160.
- Kessler, M. M. (1963). Bibliographic coupling between scientific papers. *American Documentation*, 14, 10-25.
- Kitajima, M., Blackmon, M. H., & Polson, P. G. (2000). A comprehension-based model of web navigation and its application to web usability analysis. In S. McDonald, Y. Waern, & G. Cockton (Eds.), *Proceedings of HCI 2000: People and Computers XIV - Usability or Else!* (pp. 357 – 373). Sunderland, UK: Springer.
- Kleinberg, J., Kumar, S., Raghavan, P., Rajagopalan, S., & Tomkins, A. (1999). The web as a graph: Measurements, models and methods. In

- T. Asano, H. Imai, D. T. Lee, S.-I. Nakano, & T. Tokuyama (Eds.), *Computing and Combinatorics, 5th Annual International Conference, COCOON'99* (Vol. 1627, pp. 1–17). Tokyo, Japan: Springer.
- Kleinberg, J. M. (1998). Authoritative sources in a hyperlinked environment. In *Proceedings of the 9th ACM-SIAM Symposium on Discrete Algorithms* (pp. 668–677). Baltimore, MD.
- Klimesch, W. (1994). *The structure of long term memory: A connectivity model of semantic processing*. Hillsdale: Lawrence Erlbaum and Associates.
- Kohonen, T. (1978). *Associative memory: a system-theoretical approach*. Berlin: Springer-Verlag.
- Kohonen, T. (1995). *Self-organizing maps*. Berlin: Springer.
- Konstan, J. A., Miller, B. N., Maltz, D., Herlocker, J. L., Gordon, L. R., & Riedl, J. (1997). GroupLens: applying collaborative filtering to usenet news. *Communications of the ACM*, 40(3), 77–87.
- Larson, K., & Czerwinski, M. (1998). Web page design: Implications for memory, structure and scent for information retrieval. In *Conference Proceedings on Human Factors in Computing Systems '98* (pp. 25–32). Los Angeles: ACM.
- Lee, H., Lee, C., & Yoo, C. (1999). A scenario-based object-oriented hypermedia design methodology. *Information and Management*, 36(3), 121–138.
- Lee, J. A., & Moray, N. (1989). Making mental models manifest. In *IEEE International Conference on Systems, Man, and Cybernetics* (pp. 56 – 60). Cambridge, MA.
- Levene, M., & Loizou, G. (1999a). Navigation in hypertext is easy only sometimes. *SIAM Journal on Computing*, 29(3), 728–760.
- Levene, M., & Loizou, G. (1999b). A probabilistic approach to navigation in hypertext. *Information Sciences*, 114, 165–186.
- Lieberman, H. (1995). Letizia: An agent that assists web browsing. In *Proceedings of the International Joint Conference on Artificial Intelligence*. Montreal.

- Lokuge, I., Gilbert, S. A., & Richards, W. (1996). Structuring information with mental models: a tour of boston. In *Conference Proceedings on Human Factors in Computing Systems* (pp. 413–419). Vancouver, Canada: ACM.
- Lucarella, D., & Zanzi, A. (1993). Information retrieval from hypertext: an approach using plausible inference. *Information Processing and Management*, 29(3), 299–312.
- Marchionini, G. (1995). *Information seeking in electronic environments*. Cambridge, UK: Cambridge University Press.
- Mark, W. (1986). Knowledge-based interface design. In D. A. Norman & S. W. Draper (Eds.), *User centered system design*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Marsden, P., & Bollen, J. (1998). Help advertising evolve: clone consumer thought-patterns. *AdMap*, 34(3), 37–39.
- Mathe, N., & Chen, J. (1994). A user-centered approach to adaptive hypertext based on an information relevance model. In *Proceedings of the 4th Int. Conference on User Modelling* (pp. 107–114). Hyannis, MA.
- Mathe, N., & Chen, J. (1996). User-centered indexing for adaptive information access. *International Journal of User Modeling and User Adapted Interaction*, 6(2–3), 225–261.
- McAleese, R. (1989). *Hypertext: Theory into practice*. New Jersey: Ablex Publishing Corporation.
- McAleese, R., & Green, C. (1990). *Hypertext: The state of the art*. London: Intellect.
- McDonald, S., & Stevenson, R. J. (1999). Navigation in hyperspace: An evaluation of the effects of navigational tools and subject matter expertise on browsing and information retrieval in hypertext. *Interacting with Computers*, 10(2), 129–142.
- Meyer, D., & Schvaneveldt, R. (1971). Facilitation in recognition pairs of words: Evidence of a dependence between retrieval operations. *Journal of Experimental Psychology*, 90, 227–234.
- Meyrowitz, N. (1986). *Intermedia: The architecture and construction of an object-oriented hypemedia system and applications framework*.

- In *Conference Proceedings on Object-Oriented Programming Systems, Languages and Applications* (p. 186-201). Portland, OR: ACM.
- Moray, N. (1998). Identifying mental models of complex human-machine systems. *International Journal of Industrial Ergonomics*, 22(4-5), 293 – 297.
- Mutter, P., & Maurutto, P. (1991). Reading and skimming from computer screens and book: The paperless office revisited. *Behaviour and Information Technology*, 10, 257 – 266.
- Nakayama, T., Kato, H., & Yamane, Y. (2000). Discovering the gap between web site designers' expectations and users' behavior. *Computer Networks*, 33, 811-822.
- Nelson, D. L., McEvoy, C. L., & Schreiber, T. A. (1998). *The university of south florida word association, rhyme, and word fragment norms*. <http://www.usf.edu/FreeAssociation/>: USF.
- Nelson, T. H. (1965). *Literary machines*. Mindful Press.
- New Scientist Editorial. (1999). Irresistible...an opinion essay. *New Scientist*, 3-4.
- Newell, A., & Simon, H. A. (1972). *Human problem solving*. Englewood Cliffs, NJ: Prentice-Hall.
- Nichols, D. M. (1997). Implicit rating and filtering. In *Proceedings of the 5th DELOS on Filtering and Collaborative Filtering* (pp. 31-36). Budapest, Hungary.
- Nielsen, J. (1990). The art of navigating through hypertext. *Communications of the ACM*, 33(3), 298-310.
- Nimwegen, C. van, Pouw, M., & Oostendorp, H. van. (1999). The influence of structure and reading-manipulation on usability of hypertexts. *Interacting with Computers*, 12, 7-21.
- Norman, D. A. (1983). Some observations on mental models. In Genter & Stevens (Eds.), *Mental models* (pp. 7-14). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Norman, D. A., & Draper, S. W. (1986). *User centered system design*. Hillsdale, NJ: Lawrence Erlbaum Associates.

- Norman, K. L. (1991). *The psychology of menu selections*. Norwood, NJ: Ablex Publishing.
- Otter, M., & Johnson, H. (2000). Lost in hyperspace: metrics and mental models. *Interacting with Computers*, 13(1), 1 – 40.
- Owen, D. (1986). Naive theories of computation. In D. A. Norman & S. W. Draper (Eds.), *User centered system design*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Palmieri, F., & Jie, Z. (1995). Self-association and hebbian learning in linear neural networks. *IEEE Transactions on Neural Networks*, 6(5), 1165 – 1184.
- Parunak, H. V. D. (1991). Ordering the information graph. In E. Berk & J. Devlin (Eds.), *Hypertext and hypermedia handbook* (pp. 299–325). McGraw-Hill.
- Perl, J. (1984). *Heuristics - intelligent search strategies for computer problem solving*. Reading, MA: Addison-Wesley.
- Pierce, J. R. (1961). *Symbols, signals and noise - the nature and process of communication*. New York, NY: Harper & Row.
- Pirolli, P. (1998). Exploring browser design trade-offs using a dynamical model of optimal information foraging. In *Conference Proceedings on Human Factors in Computing Systems '98* (pp. 33–40). Los Angeles: ACM.
- Pirolli, P., Pitkow, J., & Rao, R. (1996). Silk from a sow's ear: Extracting usable structure from the web. In *Proceedings of CHI'96 (ACM), Human Factors in Computing Systems*. Vancouver, Canada.
- Pirolli, P., & Pitkow, J. E. (1999). Distributions of surfers' paths through the world wide web:empirical characterization. *World Wide Web*, 2(1,2), 29–45.
- Pitkow, J. E., & Jones, R. K. (1996). Supporting the web: a distributed hyperlink database system. *Computer Networks and ISDN systems*, 28, 981–991.
- Porter, M. (1980). An algorithm for suffic stripping. *Automated Library and Information Systems*, 14(3), 130–137.

- Quillian, M. (1968). Semantic memory. In M. Minsky (Ed.), *Semantic information processing* (pp. 227–270). MIT Press.
- Recker, M. M., & Pitkow, J. E. (1996). Predicting document access in large multimedia repositories. *ACM Transaction on Computer-Human Interaction*, 3(4), 352–375.
- Rehder, B., Lewis, C., Terwilliger, B., Polson, P., & Rieman, J. (1995). A model of optimal exploration and decision making in novel interfaces. In *Proceedings of the conference on human factors and computing systems*. (pp. 230–231). Denver, CO: ACM.
- Rich, E. (1983). *Artificial intelligence*. New York: McGraw-Hill.
- Rich, E. (1998). User modeling via stereotypes. In M. T. Maybury & W. Wahlster (Eds.), *Intelligent user interface (readings in)*. San Francisco, California: Morgan Kaufman Publishers, Inc.
- Richards, D., McKay, B. D., & Richards, W. A. (1998). Collective choice and mutual knowledge structures. *Adv. Complex Systems*, 1, 221–236.
- Ritter, H., Martinez, T., & Schulten, K. (1992). *Neural computation and self-organizing maps*. New York: Addison-Wesley Publishing Company.
- Robertson, G. D., L., D., McCracken, & Newell, A. (1981). The ZOG approach to man-machine interaction. *International Journal of Man-Machine Studies*, 14, 461 – 488.
- Rocha, L. M. (1999a). Evidence sets: modeling subjective categories. *International Journal of General Systems*, 27, 457–494.
- Rocha, L. M. (1999b). Talkmine and the adaptive recommendation project. In *Proceedings of acm digital libraries 99*. Berkeley, California.
- Rocha, L. M. (2000). Adaptive recommendation driven by measures of uncertainty [In Press]. In V. Loia (Ed.), *Soft computing agents: New trends for designing autonomous systems - studies in fuzziness and soft computing*. Physica-Verlag, Springer.
- Rocha, L. M., & Bollen, J. (2000). Biologically motivated distributed designs for adaptive knowledge management. In I. Cohen & L. Segel (Eds.), *Design principles for the immune system and other distributed autonomous systems*. Oxford, In Press: Oxford University Press.

- Rosenblatt, F. (1962). *Principles of neurodynamics; perceptrons and the theory of brain mechanisms*. Washington: Spartan Books.
- Rosis, F. de, Pizzutilo, S., Russo, A., Berry, D., & Molina, F. (1992). Modeling the user knowledge by belief networks. *User Modeling and User-Adapted Interaction*, 2(4), 367-388.
- Rouet, J. (Ed.). (1996). *Hypertext and cognition*. New Jersey: Lawrence Erlbaum Publishers.
- Rumelhart, D. E., & McClelland, J. (1986). *Parallel distributed processing, vol i*. Cambridge: MIT press.
- Salton, G., & Buckley, C. (1988). On the use of spreading activation methods in automatic information retrieval. In *Proceedings of the 11th International Conference on Research and Development in Information Retrieval* (pp. 147-160). Grenoble, France.
- Sarwar, B. M., Karypis, G., Konstan, J. A., & Riedl, J. (2000). Analysis of recommendation algorithms for e-commerce. In *Acm conference on electronic commerce* (pp. 158-167). Minneapolis, MN: ACM.
- Savoy, J. (1992). Bayesian-inference networks and spreading activation in hypertext systems. *Information Processing and Management*, 28(3), 389-406.
- Schafer, J. B., Konstan, J., & Riedl, J. (1999). Recommender systems in e-commerce. In *Proceedings of the first ACM Conference on Electronic Commerce* (p. 158-166). Denver, CO.
- Schechter, S., Krishnan, M., & Smith, M. D. (1998). Using path profiles to predict HTTP requests. *Computer Networks and ISDN Systems*, 30, 457-467.
- Schoon, P. (1997). World wide web hypertext linkage patterns. In *Proceedings of the International Meeting of the World Conference of the WWW, Internet and Intranet*. Toronto, Canada.
- Sears, A., & Schneiderman, B. (1998). Split menus: Effectively using selection frequency to organize menus. *ACM Transactions on Computer-Human Interaction*, 1(1), 27-51.
- Shannon, C. E. (1949). A mathematical theory of communication. *Bell System Technical Journal*, 27, 379 - 423.

- Shardanand, U., & Maes, P. (1995). Social information filtering: algorithms for automating "word of mouth". In *ACM Conference Proceedings on Human Factors in Computing Systems* (p. 210-217). Denver, CO.
- Smith. (1986). Towards a practical measure of hypertext usability. *Interacting with Computers*, 8(4), 365-381.
- Snowberry, K., Parkinson, S., & Sisson, N. (1985). Effects of help fields on navigating through hierarchical menu structures. *International Journal of Man-Machine Studies*, 22, 479-491.
- Soderston, C., Kleid, N., & Crandell, T. (1996). Concept mapping: a job-performance aid for hypertext developers. In *Annual ACM Conference on Systems Documentation, Proceedings of the 14th annual international conference on Marshaling New Technological Forces: Building a Corporate, Academic, and User-oriented Triangle* (pp. 179-186). Research Triangle Park, NC.
- Somberg, B. L. (1987). A comparison of rule-based and positionally constant arrangements of computer menu items. In *CHI/GI 1987 Conference Proceedings on Human Factors in Computing Systems and Graphics Interfaces* (pp. 255-260). Toronto, Canada.
- Spertus, E., & Lynn, A. (2000). Squeal: a structured query language for the web. *Computer Networks*, 33(1-6), 95-103.
- Stotts, P., & Furuta, R. (1989). Petri-net based hypertext: document structure with browsing semantics. *ACM Transactions on Information Systems*, 7(1), 3-29.
- Susaki, S., & Muramoto, T. (1998). Information sharing system on the WWW with interactive communication. *Computer Networks and ISDN Systems*, 30, 747-749.
- Takahashi, H., & Kuroda, K. (1996). A study on automated shifting and shift timing using a driver's mental model. In *Proceedings of the intelligent vehicles symposium* (Vol. 1996, pp. 300 - 305). Tokyo, Japan.
- Thatcher, A., & Greyling, M. (1998). Mental models of the internet. *International Journal of Industrial Ergonomics*, 22, 299 - 305.
- Thistlewaite, P. (1997). Automatic construction and management of large open webs. *Information Processing and Management*, 33, 161-173.

- Tomek, I., Maurer, H., & Nasser, M. (1993). Optimal presentation of links in large hypermedia systems. In *Proceedings of ED-MEDIA '93 - World Conference on Educational Multimedia and Hypermedia, AACE* (pp. 511–518). Charlottesville, VA.
- Trochim, W. M. (1989). An introduction to concept mapping for planning and evaluation. In W. M. Trochim (Ed.), *A special issue of evaluation and program planning* (Vol. 12, pp. 1 – 16). Ithaca, NY.
- Tudhope, D., & Taylor, C. (1997). Navigation via similarity: automatic linking based on semantic closeness. *Information Processing and Management*, 33(2), 233–242.
- Westland, J. C. (1991). Economic constraints in hypertext. *Journal of the American Society for Information Science*, 42(3), 178–184.
- Wildemuth, B. M., Friedman, C. P., & Downs, S. M. (1998). Hypertext versus boolean access to biomedical information a comparison of effectiveness, efficiency, and user preferences. *ACM Transactions on Computer-Human Interaction*, 5(2), 156–183.
- Wilson, J. R., & Rutherford, A. (1991). Mental models-panacea or side-track? *IEE Colloquium - HCI: Issues for the Factory*, 1 – 3.
- Wolfram, D., & Dimitroff, A. (1998). Hypertext vs. boolean-based searching in a bibliographic database environment: A direct comparison of searcher performance. *Information Processing and Management*, 34(6), 669-679.
- Woodruff, A., Gossweiler, R., Pitkow, J., Chi, E. H., & Card, S. K. (2000). Enhancing a digital book with a reading recommender. In *Proceedings of the CHI 2000 conference on Human Factors in Computing Systems* (pp. 153–160). The Hague, Netherlands.
- Yan, T. W., Jacobsen, M., Garcia-Molina, H., & Dayal, U. (1996). From user access patterns to dynamic hypertext linking. *Computer Networks and ISDN Systems*, 28, 1007-1014.
- Yuwono, B., & Lee, D. L. (1996). Search and ranking algorithms for locating resources on the world wide web. In S. Su (Ed.), *Proceedings of the Twelfth International Conference on Data Engineering* (Vol. 1996, pp. 164 – 171). New Orleans, LA: IEEE.