

Index

A

- <a>, 768–769
- <abbr>, 812
- above the fold, 453
- absolute links, 311–313
- absolute positioning, 493–496, 508
- Access networks, 12–21
 - cable, 16–18
 - dial-up, 14–15
 - digital subscriber lines (DSL), 15–16
 - Ethernet, 19
 - fiber-to-the-home (FTTH), 18–19
 - telco, 12–14
 - wide-area wireless access, 20–21
 - WiFi, 20
 - WiMax, 21
- Access point (AP), 20
- accessibility
 - best practices and, 471
 - color and, 346
 - design elements and, 464–465, 467–469
 - forms and, 645–646
 - graphics and, 401–404, 416–417
 - heading tags and, 296
 - hyperlinks and, 316
 - inline frames and, 731
 - JavaScript and, 773
 - layout tables and, 600–602
 - page layout and, 488
 - Section 508, 468–469
 - tables and, 596–597
 - visual elements and, 416–417
 - WCAG 2.0 and, 468–469
- accesskey attribute, 645, 799, 808–812
- Accredited Standards Committee X12 (ASC X12), 678
- <acronym>, 812
- action attribute, 653, 808
- Active optical networks (AON), 18
- active pseudo-class, 548, 825
- Active Server Pages, 656
- addition operator, 760
- <address>, 812
- Addressing, 98, 240–242
 - application-layer process, 98
 - call establishment and, SIP, 240–242
 - host, 98
 - Internet Protocol (IP), 98
 - Session Initiation Protocol (SIP), 240–242
- Adobe ColdFusion, 689
- Adobe Dreamweaver
 - for e-commerce applications, 689–690
- Adobe Flash
 - mobile devices and, 568
- Advanced Research Projects Agency (ARPA), 62–65
- AdWords (Google), 718
- affiliate programs, 724
- AgoraCart, 689
- alert(), 764
- alert message, 743
- Aliasing, mail servers, 134
- align attribute, 298–299, 401, 593, 607, 729–730, 794, 800, 802–803, 807, 811, 814
- alignment, 451
- alink attribute, 793
- alt attribute, 400–401, 648, 800–801
- Amazon, 724
- American National Standards Institute (ANSI), 678
- anchor element, 311
- animated GIFs, 396–397
- animation
 - graphic interchange format and, 396–397
 - use of, 456, 465
- antialiased text, 463–464
- antialiasing, 398
- <applet>, 813
- Application layer, 52, 55, 85–195
 - addressing process, 98
 - Application Programming Interface (API), 92
 - domain name system (DNS), 52, 132–146
 - electronic mail (e-mail), 120–132
 - File Transfer Protocol (FTP), 52, 118–120
 - HyperText Transfer Protocol (HTTP), 52, 100–115, 126
 - message, 52, 55, 90
 - network applications, 52, 88–91, 99–159
 - network architecture, 86–90
 - peer-to-peer (P2P), 88–91, 146–159
 - process communication, 90–92
 - protocols, 52, 98–99
 - reliable data transfer, 92–93
- Secure Socket Layer (SSL), 96
- security, 94
- Simple Mail Transfer Protocol (SMTP), 52, 122–129
- socket programming, 91–92, 160–178
- throughput, 93
- timing, 93–94
- Transmission Control Protocol (TCP), 52, 94–95, 97, 101–105, 160–170
 - transport services, 92–98
- User Datagram Protocol (UDP), 52, 95–97, 170–178
- World Wide Web, 100–118
- Application Programming Interface (API), 6
- <area />, 411, 801–802
- arithmetic operators, 760
- .asp, 652
- .aspx, 652
- assign operator, 760
- asymmetric-key encryption, 682
- attribute, 298–299
- attribute values, 831–832
- audience, target, 439, 454–456
- Audio systems, 199–201, 204–216, 218–222, 225–226, 249–252
 - client buffer, 210–212
 - compression, 204–206
 - File Transfer Protocol (FTP) applications, 249–252
 - Internet streaming services, 207
 - jitter, 208, 218–222
 - live, 200–201
 - media player, 208
 - packet loss recovery, 225–226
 - real-time streaming protocol (RTSP), 208, 212–216
 - receiver-based stream repair, 225–226
 - stored, 199–200, 207–212
 - streaming, 199–201, 208–212
 - streaming server access, 210–212
 - Web server access, 208–210
- Authoritative DNS servers, 136–140
- autoplay attribute, 814
- autostart attribute, 814
- Average throughput, 45

B

- , 309, 797
 - background attribute, 793
 - background images, 406-409
 - background-color property, 343-344, 406-407, 502, 818
 - background-image property, 392, 406, 502, 818
 - background-position property, 392, 502, 818
 - background-repeat property, 392, 408, 502, 818
 - Bandwidth, 27-28, 93, 238-239
 - frequency, 27-28
 - scaling, RTCP, 238-239
 - sensitive applications, 93
 - bandwidths
 - mobile devices and, 568
 - testing of, 568
 - banner ads, 724-725
 - banner exchange, 725
 - <base />, 791
 - Base station, 20
 - wireless infrastructure, 20
 - Berners-Lee, Tim, 467, 488
 - Best-effort service, 201-204, 216-231
 - content distribution networks (CDN), 203, 226-229
 - dimensioning networks, 229-230
 - end-to-end connections (delay), 202-203, 218
 - Internet Protocol (IP)
 - applications, 201-204, 216-231
 - jitter removal, 202, 219-222
 - limitations of, 216-219
 - loss (packet) recovery, 217-218, 222-226
 - bgcolor attribute, 592-594, 730, 793, 802-803
 - bgproperties attribute, 793
 - <big>, 309, 797
 - BitTorrent, 151-153, 193-195
 - block-level elements, 295, 794-795, 835
 - <blockquote>, 794
 - blockquote element, 300-301
 - blogs, 723
 - <body>, 292, 790, 792-793, 832
 - body element, 290-291, 295
 - body section, 290-291, 792-793
 - bookmarks, 833
 - border area, 490
 - border attribute, 401, 587, 590, 607, 800, 802, 818
 - border property, 391-392, 502
 - border-bottom property, 392, 818
 - border-collapse property, 818
 - bordercolor attribute, 590-591, 607, 805-806
 - border-color property, 391-392, 502, 818
 - border-left property, 392, 819
 - border-right property, 392, 819
 - border-style property, 391, 393, 502
 - border-top property, 392, 819
 - border-width property, 391-392, 502, 819
 - Botnets, 57
 - Bottleneck link, 46-47
 - bottom property, 492, 502, 819
 - box model, 489-492
 -
, 298, 547, 797-798
 - breadcrumb trails, 445-446
 - browser sniffing, 744
 - Business-to-Business (B2B)
 - model, 678-679
 - Business-to-Consumer (B2C)
 - model, 678-679, 686
 - Business-to-Government (B2G)
 - model, 678
 - button, 631, 637-638, 647-648, 812
 - Byte-stream service, 162-163
- C**
- C++, 756
 - Cable networks, 16-18
 - Caches, 112-116, 140-141
 - Call establishment, SIP, 240-242
 - Call setup, QoS guarantee
 - from, 267-269
 - <caption>, 587-588, 804
 - caption, table, 587-588
 - cascade, 570
 - Cascading Style Sheets (CSS)
 - advantages of, 342
 - background of, 341
 - cascade of, 570-571
 - centering XHTML elements with, 365-367
 - class selector and, 356-357
 - coding, 341
 - color on Web pages and, 344-346
 - configuring color with embedded styles and, 348-351
 - configuring text with, 352-356
 - debugging tips for, 518-519
 - <div> and elements and, 359-361
 - explanation of, 308-309, 742
 - external style sheets and, 361-365
 - fonts, 344, 352-354, 356
 - forms and, 648-652
 - guidelines to use, 365, 787
 - id selector and, 357-359
 - inline, 347-348
 - mobile Web and, 566-569
 - page layout and, 486-512, 519-520, 612
 - positioning properties and, 492-496
 - print styling and, 563-566
 - property reference for, 817-825
 - pseudo-classes and links and, 548-553
 - syntax and, 343-344
 - tables and, 607-610
 - types of, 342-343
 - validation and, 367-369
 - case studies
 - Fish Creek Animal Hospital, 327-331, 379-382, 427-429, 479, 531-533, 581, 619-620, 666-668, 699-702, 736, 780-782
 - Javajam Coffee House, 324-327, 377-379, 423-427, 479, 527-531, 580, 618-619, 664-666, 695-699, 735, 779-780
 - Pasha the Painter, 331-334, 382-384, 429-432, 479-480, 533-536, 581, 620-622, 668-670, 702-705, 736, 782-783
 - Prime Properties, 334-337, 384-386, 432-436, 480, 537-540, 582, 622-623, 670-671, 705-708, 736, 783-784
 - Web Project, 480-481, 540-541, 582, 623, 671-672, 708, 737, 784
 - cash model, 686
 - cass selector, 356-357
 - cellpadding attribute, 591-592, 607, 802
 - cells, table, 593-594, 597
 - cellspacing attribute, 591
 - Central office (CO), 14
 - Cerf, Vinton, 417, 467
 - CERT Coordination Center, 685
 - .cfm, 652
 - character data (CDATA)
 - statements, 792
 - character encoding, 290

- check box, 632–633
 - check model, 686
 - checked attribute, 633–634, 808
 - chunking, 441
 - ciphertext, 681
 - circle, 412, 802
 - Circuit switching, 25–29, 31–32
 - data movement and, 25–27
 - end-to-end connections, 27
 - multiplexing, 27–29
 - packet-switching compared to, 31–32
 - silent periods, 28
 - statistical multiplexing, 31–32
 - <cite>, 308, 797
 - class attribute, 793
 - classid attribute, 814
 - clear attribute, 798
 - clear property, 498–499, 502, 819
 - click, 753
 - click through rate (CTR), 719
 - Client buffer, 210–212
 - Client program, 12
 - Clients, 11–12, 90–91
 - Client-server architecture, 88–89, 163–178
 - application layers, 88–89
 - Java applications, 163–170, 172–178
 - socket programming, 163–178
 - Transmission Control Protocol (TCP), 160–170
 - User Datagram Protocol (UDP), 170–178
 - client-side image map, 412
 - client-side processing, 742
 - client-side scripting, 742
 - Coaxial cable, 23
 - <code>, 308, 797
 - codebase attribute, 814
 - ColdFusion, 656
 - color
 - accessibility and, 346
 - best practices and, 470
 - choices in, 346, 463
 - configured with embedded styles, 348–351
 - configured with inline CSS, 347–348
 - mobile devices and, 568
 - RGB, 344–345
 - scroll-bar, 562
 - target audience and choice of, 454–455
 - Web Color Palette, 345–346
 - Web safe, 346
 - color attribute, 796
 - color blender, 346
 - color blindness, 455
 - color property, 343–344, 502, 819
 - cols attribute, 635, 805, 809
 - colspan attribute, 594, 803
 - comment tag, 815
 - comments, 746–747
 - commerce servers, 689
 - Commission Junction, 724
 - Common Gateway Interface (CGI), 652, 689
 - comparison operators, 761
 - compression, lossless, 397–398
 - Compression of audio/video, 204–206
 - Computer networks, 1–83, 86–90
 - access, 12–25
 - application layer, 52, 55, 86–90
 - architecture, 86–90
 - attacks, 56–61
 - cable, 16–18
 - circuit switching, 25–29, 31–32
 - client program, 12
 - core, 25–36
 - delay, 36–45
 - dial-up, 14–15
 - digital subscriber lines (DSL), 15–16
 - end systems (hosts), 2–7, 10–12, 21–25
 - Ethernet, 19
 - fiber-to-the-home (FTTH), 18–19
 - history of, 61–68
 - Internet Service Providers (ISP), 4–5, 34–36
 - layered architecture, 48–54
 - multiplexing, 27–29, 31–32
 - packet loss, 42–43
 - packet switching, 4, 25–27, 30–34, 36–48, 61–63
 - physical media, 21–25
 - protocol, 5, 7–9
 - protocol layers, 48–56
 - security, 56–61
 - server program, 12
 - throughput, 45–48
 - wide-area wireless access, 20–21
 - WiFi, 20
 - WiMAX, 21
 - concatenation, 757
 - Conditional GET mechanism, 116–118
 - Consumer-to-Consumer (C2C) model, 678
 - container tags, 830–831
 - content
 - best practices and presentation of, 471
 - content area, 490
 - content attribute, 715
 - Content distribution networks (CDN), 199, 203, 226–229
 - contrast, 451
 - Control connection, 119
 - controller attribute, 815
 - controls attribute, 815
 - Cookies, 110–112
 - coords attribute, 801
 - ©, 309
 - copyrights
 - on Web page, 309
 - cost per impression (CPM), 719
 - cost-per-click (CPC), 717, 719
 - credit model, 686–687
 - CSS, 486
 - CSS Level 1 (CSS1), 486
 - CSS Level 2 (CSS2), 486
 - CSS validation, 367–369
 - cursive, 353
 - custom-built e-commerce sites, 689
 - Customer, 35
 - cybersquatting, 680
- D**
- data attribute, 814
 - Data connection, 119
 - database management system (DBMS), 689
 - Datagrams, 52, 55
 - network-layer protocol and, 52, 55
 - <dd>, 301, 795
 - debugging
 - CSS, 518–519
 - JavaScript, 749, 762
 - declaration, 343
 - Decompression, 208
 - Defense Advanced Research Projects Agency (DARPA), 62–64
 - definition lists, 301–303
 - Delay, 30, 36–45, 216–231
 - best-effort service and, 216–231
 - comparison of transmission and propagation, 39–40
 - content distribution networks (CDN), 203, 226–229
 - dimensioning networks, 229–230
 - end system, 44–45
 - end-to-end, 43–45, 218

- jitter, 218–222
 - loss recovery, 222–226
 - media packetization, 45
 - multimedia networking, 216–231
 - nodal, 36–43
 - packet loss, 30, 42–43, 217–218, 222–226
 - packet-switched networks
 - and, 36–45
 - payload strategies, 219–222
 - processing, 37–38
 - propagation, 37–40
 - queuing 30, 37–38, 40–42
 - traceroute programs, 43–44
 - transmission, 37–40
 - Denial-of-service (DoS) attacks, 58–59
 - Department of Energy, 460
 - description value, 715
 - description, Web site, 715
 - deuteranopia, 455
 - <dfn>, 308, 797
 - Dial-up networks, 14–15
 - Differentiated service
 - (Diffserv), 260–265
 - metering function, 262–263
 - multimedia service
 - applications, 260–265
 - per-hop behaviors (PHB), 263–264
 - traffic profiling, 262–263
 - Digg, 723
 - digital certificate, 684–685
 - Digital subscriber lines (DSL), 15–16
 - Dimensioning networks, 229–230
 - Direct fiber, 18
 - disabled attribute, 808–812
 - display property, 501–502, 819
 - Distributed applications, 5–7, 12
 - Distributed denial-of-service (DDoS)
 - attack, 58–59, 145–146
 - Distributed Hash Tables
 - (DHT), 153–158
 - Distribution time (D), 147–151
 - <div>, 359, 493, 570–571, 750, 795
 - division operator, 760
 - <dl>, 301, 795
 - DOCTYPE (DTD) tag, 290, 790
 - document, 742
 - Document Object Model
 - (DOM), 750–752
 - document type definition (DTD)
 - explanation of, 288, 290
 - HTML 4 vs. HTML 5 and, 828–829
 - Domain name system (DNS), 52, 132–146
 - caching, 140–141
 - centralized design
 - problems, 135–136
 - distributed denial-of-service (DDoS)
 - attack, 145–146
 - hierarchical database (root servers), 136–140
 - host aliasing, 133–134
 - hostname, 132–133, 141–142
 - hostname-to-IP address
 - translation, 132–133, 135–141
 - IP addresses, 132–141
 - load distribution, 134–135
 - mail server aliasing, 134
 - messages, 142–144
 - network applications, 52, 132–146
 - queries, 139–140
 - registers, 144, 146
 - resource records (RR), 141–142
 - <dt>, 301, 795
 - Dynamic HTML (DHTML)
 - navigation features and, 447
- E**
- e-commerce
 - advantages of, 676
 - business models for, 678
 - disadvantages of, 677
 - explanation of, 675
 - issues related to, 680–681
 - order and payment processing
 - for, 686–687
 - security issues related to, 681–685
 - statistics for, 679–680
 - storefront options for, 688–690
 - Elastic applications, 93
 - Electronic Data Interchange (EDI), 678
 - Electronic mail (e-mail), 120–132
 - access protocols, 127–132
 - development of, 122
 - Internet Mail Access Protocol
 - (IMAP), 131
 - mail servers, 122–123
 - message formats, 127
 - Post Office Protocol-Version 3
 - (POP3), 129–131
 - Simple Mail Transfer Protocol
 - (SMTP), 52, 122–129
 - user agents, 122
 - Web-based, 131–132
 - elements, 288
 - , 308–309, 796
 - em dash, 310
 - e-mail
 - form information in, 630–631
 - e-mail links, 315–316
 - eMarketer.com, 566
 - <embed>, 814–815
 - embedded styles
 - configuring color with, 348–351
 - explanation of, 343
 - use of, 570
 - empty space, 310
 - Encapsulation, 55
 - encryption, 681–682
 - entype attribute, 808
 - End systems, 2–7, 10–12, 21–25, 44–45
 - Application Programming Interface
 - (API), 6
 - clients, 11–12
 - communication links (media), 4, 21–25
 - delay, 44–45
 - devices, 10
 - distributed applications, 5–7, 12
 - hosts as, 2–4, 10–11
 - Internet Service Providers (ISP)
 - and, 4–5
 - packets, 4
 - path (route), 4
 - routers, 4
 - servers, 11–12
 - switches, 4
 - transmission rate, 4
 - End-to-end connections, 27, 43–45, 202–203, 218
 - best-effort service and, 202–203, 218
 - delay, 43–45, 218
 - hard guarantee, 202
 - multimedia service and, 202–203, 218
 - soft guarantee, 202
 - Ethernet, 19, 53, 64–65
 - access network functions, 19
 - development of, 64–65
 - link-layer applications, 53
 - event handlers, 753–755
 - events, 752–753
 - Extended Validation SSL (EV SSL), 683
 - external style sheets
 - explanation of, 361–365
 - links to, 570
 - external styles, 343

F

 - face attribute, 796
 - Facebook, 723

- Fantast, 353
 - favicon, 413
 - favorites icon, 413–414
 - Federal Rehabilitation Act (amended in 1998), 401
 - Fiber optics, 23–24
 - Fiber-to-the-home (FTTH) networks, 18–19
 - <fieldset>, 644–645
 - File distribution, P2P, 147–153
 - File sharing, P2P, 90–91
 - file size, 415
 - File Transfer Protocol (FTP), 52, 118–120, 248–252
 - audio applications, 249–252
 - commands, 120
 - control connection, 119
 - data connection, 119
 - multimedia application scenarios, 248–252
 - network application protocol, 52, 118–120
 - replies, 120
 - state of user information, 119
 - Firefox, 456–457, 466
 - Fish Creek Animal Hospital (case study), 327–331, 379–382, 427–429, 479, 531–533, 581, 619–620, 666–668, 699–702, 736, 780–782
 - fixed-width tables, 603
 - flexible-width tables, 602
 - float property, 496–498, 502, 820
 - focus pseudo-class, 548, 825
 - , 796, 832
 - font style elements, 308–309
 - font typeface, 352–354
 - font-family property, 353–355, 502, 820
 - fonts
 - mobile devices and, 568
 - use of, 462–463
 - font-size property, 344, 352–353, 356, 502, 820
 - font-style property, 352, 503, 820
 - font-variant property, 820
 - font-weight property, 344, 352, 503, 820
 - for attribute, 644, 811
 - <form>, 627–630, 654, 767, 807–808
 - form controls, 626, 631–639
 - form element tags, 808–812
 - form handling, 767–773
 - forms
 - accessibility and, 645–646
 - accesskey attribute and, 645
 - CSS to style, 648–652
 - explanation of, 626
 - fieldset and legend elements and, 644–645
 - image buttons and button element and, 647–648
 - label element and, 643–644
 - overview of, 626
 - privacy and, 655
 - server-side processing and, 652–654, 656
 - tabindex attribute and, 645
 - use of, 625, 627–643
 - Forward error correction (FEC), 223–224
 - Forwarding, 33–34
 - tables, 33–34
 - Foxfire, 589, 749
 - fragment identifiers, 545–546
 - <frame>, 805–806
 - frame attribute, 802
 - frameborder attribute, 729–730, 805–807
 - Frames, 53, 55–56
 - link layer, 53, 55–56
 - physical layer, 53
 - <frameset>, 804–805
 - framespacing attribute, 805
 - fraud, 677, 680
 - FreeFind, 450
 - Frequency-division multiplexing (FDM), 27–29
 - frequently asked questions (FAQs)
 - definition lists and, 301
 - for e-commerce sites, 676
 - links to answers of, 448–449, 545
 - function definition, 764–765
 - functionality
 - best practices and, 471
 - FusionBot, 450
- G**
- gamma, 416
 - Geostationary satellites, 24
 - Google
 - Web analytics service on, 722
 - Googlebot (Google), 716
 - graphic design, 359–386, 389–436, 439–466
 - graphic interchange format (GIF), 396–397
 - graphic tags, 800–802
 - graphics
 - accessibility and, 401–404, 416–417
 - background images, 406–407
 - background images configured with CSS, 408–410
 - best practices for, 463–466, 470
 - favorites icon, 413–414
 - function of, 396
 - GIF images, 396–398
 - guidelines for using, 415–416
 - image element and, 400–401
 - image links, 404–405
 - image maps, 410–411
 - image slicing, 414
 - JPEG images, 398–400
 - PCG images, 400
 - sources of, 414–415
 - thumbnail images, 413
 - Group-shared tree, 197–286
 - Guided media, 22
- H**
- <h1>, 295, 714, 794
 - h1 selector, 355–356
 - <h2>, 409, 714, 757–758, 794
 - h2 selector, 356
 - H.323 standards, 245–246
 - <h6>, 295, 794
 - Handshake, 162–163
 - Hard state signaling approach, 270
 - hash mark, 546
 - Hash tables, 153–158
 - circular, 155–157
 - distributed (DHT), 153–158
 - peer churn, 157–158
 - <head>, 290, 296, 790, 832
 - Header fields, 56, 233–234
 - header section, 290, 790–792
 - headers attribute, 596, 803
 - heading element, 295
 - headings
 - accessibility and, 296
 - search engines and, 714
 - table, 587–588
 - height attribute, 400–401, 607, 729–730, 800, 807, 814–815
 - height property, 503, 820
 - hexadecimal, 345
 - hexadecimal color values, 345
 - hidden attribute, 638–639, 815
 - hidden form element, 631
 - hierarchical organization, 441–444

- horizontal rule element, 390
- horizontal scrolling, 454
- Hostnames, 132–133, 135–142
 - aliasing, 133–134
 - canonical, 133–134
 - DNS caching, 140–141
 - DNS server database and, 136–140
 - IP address translation
 - from, 132–133, 135–141
 - resource records (RR), 141–142
- Hosts, 2–4, 10–11, 98, 133–134
 - addressing, 98
 - aliasing, 133–134
 - end systems as, 2–4, 10–11
- hotspots, 410
- hover pseudo-class, 548, 825
- <hr />, 288, 390, 798
- href attribute, 311, 791, 799, 801
- hspace attribute, 401–402, 800
- <html>, 290–292, 789–790
- HTML 4, 288, 827–834, 838
- HTML 5, 827–838
- HTML (Hypertext Markup Language)
 - dynamic, 447
 - explanation of, 288
 - Extensive Hypertext Markup Language
 - vs., 288–289, 787
- HTTP_REFERER, 629
- Hybrid fiber-coaxial (HFC)
 - networks, 16–17, 199
- hyperlinks
 - absolute and relative links, 312–315, 544–545
 - absolute links, 311–313
 - anchor element, 311
 - e-mail links, 315–316
 - function of, 544, 716
 - pseudo-classes and, 548–553
 - relative, 312–315, 544–545
 - review of, 544–547
- HyperText Transfer Protocol (HTTP), 52, 100–112, 126
 - application-layer protocol, 52, 100–110
 - cookies, 110–112
 - message format, 105–110
 - non-persistent connections, 102–105
 - persistent connections, 105
 - request message, 105–107
 - response message, 107–110
 - round-trip time (RTT), 104–105
 - Simple Mail Transfer Protocol (SMTP)
 - compared to, 126
 - Transmission Control Protocol (TCP)
 - and, 101–105
 - Web pages, 100–101
 - World Wide Web and, 100–110
- I
 - <i>, 309, 797
 - ice design, 459
 - id attribute, 358, 401, 628, 631–639, 648, 729, 794, 799–800, 806–810, 812
 - id selector, 357–359
 - if, 761
 - <iframe>, 806–807
 - image button, 647–648
 - Image element, 400–401
 - image links, 404–405
 - image maps, 410–413
 - image optimization, 397
 - image slicing, 414
 - image swapping, 745
 - images.
 - accessibility and, 401–404
 - background, 406–407
 - dimensions of, 401, 416
 - guidelines for using, 415–416
 - quality of, 416
 - resolution of, 416
 - reuse of, 416
 - Web sites for, 415
 - , 400, 800–802
 - Imported styles, 343
 - In-band information, 119
 - inheritance, 571
 - inline frames, 728–731
 - inline styles, 343, 347–348
 - inline-level elements, 295
 - <input />, 627, 631, 633, 637–638, 808–812
 - Input stream, 162
 - <input type="button"/>, 764
 - instant online storefront, 688
 - Instantaneous throughput, 45
 - Integrated services (Intserv), 269–271
 - integrity, e-commerce and, 682
 - intellectual property, 680
 - Interface message processors (IMP), 62–63
 - interlaced images, 397
 - Interleaving, 224–225
 - international commerce, 681
 - Internet, 1–68, 94–96, 120–132, 201–204, 207
 - access networks, 12–25
 - application-layer transport services
 - provided by, 94–96, 120–132
 - attacks, 56–61
 - audio/video streaming services, 207
 - backbone networks, 34–35
 - computer networks and, 1–68
 - delay, 36–45
 - development of, 66–68
 - distributed applications, 5–7, 12
 - electronic mail (e-mail), 120–132
 - end systems (hosts), 2–6, 10–12, 21–25
 - Internet Engineering Task Force (IETF)
 - standards, 5
 - mobile, 566–569
 - multimedia support, 201–204
 - network protocol, 7–9
 - packet loss, 42–43
 - packet switching, 4, 25–27, 30–34, 36–48, 61–63
 - physical media, 21–25
 - protocol layers, 48–56
 - requests for comments (RFC), 5
 - Secure Socket Layer (SSL), 96
 - throughput, 45–48
 - Transmission Control Protocol (TCP)
 - services, 5, 94–95
 - transport layer and, 94–96
 - User Datagram Protocol (UDP)
 - services, 95–96
 - Internet Engineering Task Force (IETF)
 - standards, 5
 - Internet Explorer (Microsoft), 402, 456, 466, 589
 - Internet Mail Access Protocol (IMAP), 131
 - Internet Protocol (IP), 5, 201, 216–231
 - best-effort service of, 201, 216–231
 - multimedia applications, 201, 216–231
 - Internet Service Providers (ISP), 4–5, 34–36
 - backbone networks, 34–35
 - end systems and, 4–5
 - peers, 35
 - points of presence (POP), 36
 - Internet telephony, 158–159, 201
 - Interviews
 - Cohen, Bram, 193–195
 - Kleinrock, Leonard, 82–83
 - IP addresses, 98, 132–141
 - IP spoofing, 60
 - IPTV, 199
 - Iterative queries, 139–140

- J**
- Java
 - explanation of, 742
 - navigation features and, 447
 - rules for variables and, 756
 - Java applications, 163–170, 172–178
 - socket programming, 163–170, 172–178
 - Transmission Control Protocol (TCP), 160–170
 - User Datagram Protocol (UDP), 170–178
 - JavaJam Coffee House (case study), 324–327, 377–379, 423–427, 479, 527–531, 580, 618–672, 675–708, 711–735, 779–780
 - JavaScript
 - accessibility and, 773
 - added to Web pages, 746–749
 - arithmetic operations and, 760
 - button control and, 638
 - character data (CDATA) statements and, 792
 - decision making and, 761–763
 - development of, 742–743
 - document object model and, 750–752
 - events and event handlers and, 752–755
 - explanation of, 741
 - form handling and, 767–773
 - functions and, 764–766
 - overview of, 742
 - popular uses for, 743–746
 - resources for, 774
 - <script> and, 833–834
 - statement block template, 746–748
 - variables and, 756–760
 - JavaServer Pages, 656
 - jello design, 460
 - Jitter, 202, 208, 218–222
 - multimedia networking and, 202, 208, 218–222
 - packet, 202, 208, 218–222
 - playout delay strategies, 219–222
 - removal, 208, 219–222
 - sequence numbers for, 219
 - streaming stored audio/visual, 208, 222
 - timestamps for, 219
 - Joint Photographic Experts Group (JPEG) images
 - compression and, 398
 - explanation of, 398
 - optimization and, 398–399
 - progressive, 400
 - jump menus, 744–745
- K**
- <kbd>, 308, 797
 - keyboard accessibility, 468
 - keywords, 714–715, 756
- L**
- <label>, 643–644, 811
 - label element, 643–644
 - language attribute, 791
 - Leaky bucket policing, 257–260
 - left alignment, 298
 - left property, 492, 503, 820
 - leftmargin attribute, 793
 - <legend>, 644–646, 811
 - , 303, 317–319, 796
 - Library of Congress, 442–443
 - line break element, 298
 - linear organization, 444
 - line-height property, 344, 354–355, 503, 820
 - <link/>, 361, 791
 - link attribute, 793
 - Link layer, 4, 53, 55
 - Ethernet, 53
 - frames, 53, 55
 - Point-to-Point Protocol (PPP), 53
 - protocol, 53
 - switches, 4
 - link popularity, 722–723
 - link pseudo-class, 548, 825
 - LinkedIn, 723
 - liquid design, 460–462
 - lists
 - definition, 301–303
 - navigation layout and, 553–555
 - ordered, 303–304, 306
 - unordered, 304–306, 356, 553
 - listservs, 727
 - list-style-image property, 503, 554, 821
 - list-style-type property, 503, 554, 821
 - load time
 - as design element, 452–453
 - for images, 415
 - perceived, 453
 - Local area networks (LAN), 20
 - WiFi (IEEE 802.11), 20
 - wireless, 20
 - Local DNS servers, 138–140
 - logical style elements, 307–308
 - logical style tags, 797
 - longdesc attribute, 401–402, 729, 800, 806–807
 - loop attribute, 815
 - Loss recovery, 222–226
 - forward error correction (FEC), 223–224
 - interleaving, 224–225
 - packets, 222–226
 - receiver-based recovery of audio streams, 225–226
 - lossless compression, 397–398
 - Low-earth orbiting satellites (LEO), 24–25
 - lowercare, HTML 4 vs. HTML 5 and, 829–830
- M**
- Mail servers, 122–123, 134
 - Malware, 57–58
 - Man-in-the-middle attacks, 60–61
 - <map>, 411, 801
 - Map collections (Library of Congress), 442–443
 - margin, 490
 - margin property, 344, 503, 821
 - margin-bottom property, 503, 821
 - marginheight attribute, 729, 793, 806–807
 - margin-left property, 344, 366, 503, 821
 - margin-right property, 344, 366, 503, 821
 - margin-top property, 503, 821
 - marginwidth attribute, 729–730, 793, 806–807
 - markup code, 288
 - markup languages, 289
 - Markup Validation Service (W3C), 317–319
 - Martin, Michael, 455
 - maxlength attribute, 631, 809
 - max-width property, 822
 - media, 21–25, 45, 208
 - coaxial cable, 23
 - fiber optics, 23–24
 - guided, 22
 - packetization delay, 45
 - player, 208
 - satellite radio channels, 24–25
 - terrestrial radio channels, 24
 - time-based, 468
 - twisted-pair copper wire, 22–23
 - unguided, 22

- media ads, 727
 - media attribute, 563, 791
 - memory, mobile devices and, 568
 - Mercantec SoftCart, 689
 - Messages, 30, 52, 54–56, 105–110, 127, 142–144, 242–243
 - application-layer, 52, 54–56
 - domain name system (DNS), 142–144
 - e-mail formats, 127
 - HyperText Transfer Protocol (HTTP) format, 105–110
 - packets, 30
 - request, 105–107
 - response, 107–110
 - Session Initiation Protocol (SIP), 242–243
 - <meta/>, 290, 791
 - meta tags, 290, 714–715, 788, 791
 - Metafile, 209–210
 - Metering function, Diffserv, 262–263
 - method attribute, 653, 808
 - methods, 750
 - Meyer, Eric, 553
 - microblogging, 723
 - micropayments, 687
 - Microsoft Visual Studio.NET, 689
 - Miller, George A., 441
 - MIME type, 792
 - Minitel project, 65–66
 - min-width property, 392, 503, 822
 - .mobi TLD, 566
 - mobile devices
 - design issues related to, 566–569
 - mobile Web, 566–569
 - Modems, 14–15, 17
 - Monospace, 353
 - mouse movement techniques, 745–746
 - Multicast overlay networks, 203–204
 - multimedia
 - HTML 5 and, 835–836
 - multimedia files
 - best practices and, 471
 - Multimedia networking, 197–286
 - audio, 199–201, 204–216, 218–222, 225–226, 249–252
 - best-effort service of, 201, 216–231
 - compression, 204–206
 - content distribution networks (CDN), 199, 203, 226–229
 - differentiated service (Diffserv), 260–265
 - File Transfer Protocol (FTP) applications, 248–252
 - integrated services (Intserv), 269–271
 - Internet support for, 202–204
 - jitter, 202, 208, 218–222
 - multicast overlay networks, 203–204
 - multiple classes of service for, 247–265
 - packet loss, 217–218, 222–226
 - policing mechanisms, 257–260
 - quality of service (QoS) guarantees, 265–272
 - real-time interactive applications, 201, 231–246
 - Resource ReSerVation Protocol (RSVP), 271–272
 - scheduling mechanisms (queuing), 253–257
 - streaming, 199–201, 207–216, 222, 225–226
 - video, 199–201, 204–216
 - multiple attribute, 636, 810
 - Multiplexing, 27–29, 31–32
 - circuit-switched networks, 27–29
 - frequency-division (FDM), 27–29
 - packet-switching, 31–32
 - statistical, 31–32
 - time-division (TDM), 27–29
 - multiplication operator, 760
 - MySpace, 723
- N**
- name attribute, 401, 631–639, 648, 715, 729, 799–800, 806–807, 809–810, 812
 - named fragment, 545–546
 - NASA, 439
 - National Library of Medicine, 444
 - National Park Service, 461
 - navigation
 - accessibility and, 469
 - best practices and, 470
 - ease of, 445
 - search features and, 449–450
 - short pages and, 448
 - site map and, 449–450
 - table of contents and, 448
 - navigation area, configuring, 358, 360
 - navigation bars, 445–447
 - , 309
 - nested tables, 605–607
 - nested tabs, 832
 - .NET Framework (Microsoft), 656
 - Netscape, 683
 - Network applications, 52, 88–91, 99–159
 - application-layer protocol compared to, 99
 - domain name system (DNS), 52, 132–146
 - electronic mail (e-mail), 120–132
 - File Transfer Protocol (FTP), 52, 118–120
 - peer-to-peer (P2P), 88–91, 146–159
 - World Wide Web, 100–118
 - Network layer, 52–53, 55
 - datagrams, 52, 55
 - protocol, 52–53
 - Newhouse, Mark, 553
 - newsgroups, 727
 - newsletters, 726
 - Nielsen, Jakob, 445, 455
 - <nobr>, 813
 - Nodes, 36–43
 - delay, 36–43
 - <noembed>, 815
 - <noframes>, 805
 - Non-persistent connections, 102–105
 - noresize attribute, 806
 - normal flow, 490–492
 - nowrap attribute, 803
 - nslookup program, 143–144
 - null string, 771
- O**
- Object files, 100
 - object-based scripting language, 742
 - , 303, 795
 - onClick, 753
 - onload, 753
 - onMouse, 753
 - onmouseout, 753, 755
 - onmouseover, 753, 755
 - onsubmit, 767
 - optimization
 - image, 397
 - JPEG, 398–399
 - search engine, 714–717, 719–720
 - social media, 723–724
 - <option>, 631, 635, 810–811
 - order processing, 686–687
 - ordered lists, 303–304, 306
 - osCommerce, 689
 - Out-of-band information, 119
 - Output buffer (queue), 30
 - Output stream, 162–163
 - overflow property, 499–500, 503, 822

- P**
- <p>, 296, 794
 - Packet sniffers, 59–60
 - Packet switching, 4, 25–27, 30–34, 36–48, 61–63
 - circuit switching compared to, 31–32
 - data movement and, 27, 30–31
 - delay, 36–45
 - development of, 61–62
 - end systems and, 4
 - forwarding table, 33–34
 - interface message processors (IMP), 62–63
 - link-layer switches, 4
 - output buffer (queue), 30
 - packet loss, 30, 42–43
 - path (route), 4
 - queuing delay, 30, 37–38, 40–42
 - routers, 4, 33–34
 - statistical multiplexing, 31–32
 - store-and-forward transmission, 30
 - throughput, 45–48
 - Packets, 4, 30, 42–43, 202, 208, 217–226, 232–233, 237–238
 - best-of-effort services, 202, 217–226
 - jitter, 202, 208, 218–222
 - loss, 30, 42–43, 217–218, 222–226
 - multimedia networking, 202, 208, 217–226, 232–233, 237–238
 - Real-time Transport Protocol (RTP), 232–233, 237–238
 - padding area, 490
 - padding property, 391, 393–395, 503, 822
 - padding-bottom property, 503, 822
 - padding-left property, 393, 504, 822
 - padding-right property, 393, 504, 823
 - padding-top property, 393, 504, 823
 - page layout.
 - best practices and, 470
 - browser friendly, 456–457
 - CSS, 486–520, 612
 - debugging tips and, 518–519
 - design of, 716
 - horizontal scrolling and, 454
 - ice design and, 459
 - jello design and, 460
 - liquid design and, 460–462
 - load time, 452–453
 - resources for, 519–520
 - table, 599–607
 - three-column, 555–562
 - two-column, 512–517
 - wireframes and, 457–459
 - page titles, 714
 - page-break-after property, 823
 - page-break-before property, 823
 - paragraph elements, 296–297
 - <param />, 813
 - Pasha the Painter (case study), 331–334, 382–384, 429–432, 479–480, 533–536, 581, 620–622, 668–670, 702–705, 736, 782–783
 - Passive optical networks (PON), 18
 - password box, 632
 - Path (route), 4
 - Payload field, 56
 - payment processing, 686–687
 - PayPal, 690
 - Peer churn, 157–158
 - Peers, 35, 152–153
 - Internet Service Providers (ISP), 35
 - unchoked, 152–153
 - Peer-to-peer (P2P), 88–91, 146–159
 - application-layer applications, 146–159
 - architecture, 88–90
 - BitTorrent protocol, 151–153
 - client process, 90–91
 - Distributed Hash Tables (DHT) for, 153–158
 - distribution time (D), 147–151
 - file distribution, 147–153
 - file sharing, 90–91
 - Internet telephony, 158–159
 - scalability of, 147–151
 - server process, 90–91
 - Skype application, 158–159
 - unchoked peers, 152–153
 - perceived load time, 453
 - Per-hop behaviors (PHB), Diffserv, 263–264
 - Persistent connections, 105
 - personal recommendations, 726
 - PEW Internet & American Life Project, 452, 679
 - .php, 652, 656
 - Physical layer, 53
 - physical style elements, 308–309
 - physical style tags, 797
 - pixelation, 398
 - Playout delay, 219–222
 - pluginspage attribute, 815
 - Points of presence (POP), 36
 - Point-to-Point Protocol (PPP), 53
 - Policing mechanisms, 257–260
 - poly, 802
 - polygon, 412
 - popup windows, 743–744
 - Port numbers, 98
 - destination, 98
 - position property, 393, 492–496, 504, 823
 - Post Office Protocol–Version 3 (POP3), 129–131
 - <pre>, 813
 - Prime Properties (case study), 334–337, 384–386, 480, 537–540, 582, 622–623, 670–671, 705–708, 736, 783–784
 - print styling, 563–566
 - Priority queuing, 254–255
 - privacy, 677
 - privacy issues, 655
 - Processing delay, 37–38
 - processing speed, 568
 - prompt () method, 758
 - Propagation delay, 37–40
 - Protocol layers, 48–56
 - application, 52
 - computer network, 52–53
 - datagrams of, 52, 54–56
 - frames, 53–56
 - layered architecture, 48–54
 - link, 53
 - messages, 52, 54–56
 - OSI reference model, 51, 53–54
 - physical, 53
 - segments of, 52, 54–56
 - service model, 50–51
 - stack, 51
 - transport, 52
 - Protocols, 5, 7–9, 33–34, 213
 - human analogy for, 7–8
 - Internet Engineering Task Force (IETF) standards for, 5
 - network, 5, 8–9
 - out-of-band, 213
 - routing (end-to-end), 33–34
 - Provider, 35
 - proximity, 451
 - Proxy server, SIP, 243–245
 - pseudo-classes, 548–553, 825
- Q**
- Quality of service (QoS), 265–272
 - call admission, 266, 269
 - call setup, 267–269
 - hard state signaling approach, 270

- integrated services (Intserv), 269–271
 - Internet services, 269–272
 - multimedia guarantees, 265–272
 - resource reservation, 267
 - Resource ReSerVation Protocol (RSVP), 270–272
 - soft state signaling approach, 270
 - Queries, DNS, 139–140
 - Queue (output buffer), 30
 - Queuing, 30, 37–38, 40–42, 253–257
 - delay, 30, 37–38, 40–42
 - length, 38
 - multimedia scheduling, 253–257
 - packet loss and, 30, 42–43
 - priority, 254–255
 - round robin, 255–256
 - scheduling mechanisms, 253–257
 - traffic intensity, 41–42
 - weighted fair (WFQ), 256–257
 - quotation mark, 830
- R**
- radio button, 631, 633–634
 - random organization, 444–445
 - reading level, 456
 - readonly attribute, 809
 - Really Simple Syndication (RSS), 723
 - Real-time interactive multimedia, 201, 231–246
 - audio and video applications, 201
 - H.323 standards, 245–246
 - Internet telephony, 201
 - Real-time Transport Protocol (RTP), 231–236
 - RTP Control Protocol (RTCP), 236–239
 - Session Initiation Protocol (SIP), 239–245
 - Real-time streaming protocol (RTSP), 208, 212–216
 - Real-time Transport Protocol (RTP), 231–239
 - Control Protocol (RTCP), 236–239
 - header, 232–234
 - packets, 232–233, 237–238
 - session, 231
 - software applications for, 234–236
 - Receiver-based recovery of audio streams, 225–226
 - reciprocal link agreements, 725
 - rect, 412, 802
 - Recursive queries, 139–140
 - Registers, DNS, 144, 146
 - Registrar, SIP, 243–245
 - rel attribute, 361, 791
 - relative links, 312–315, 544–545
 - relative positioning, 492–493
 - Reliable data transfer (rdt), 92–93
 - application-layer services, 92–93
 - service model for, 26–196
 - transport-layer applications, 92–93
 - remote-hosted form processing, 656
 - repetition, as design
 - principle, 450–451
 - Request message, HTTP, 105–107
 - Requests for comments (RFC), 5, 99
 - reserved words, 756
 - reset button, 631, 637
 - resolution, 416
 - Resource records (RR), 141–142
 - Resource ReSerVation Protocol (RSVP), 267, 270–272
 - Response message, HTTP, 107–110
 - RGB color, 344–345
 - Rich Site Summary (RSS), 723
 - right property, 492, 504, 823
 - robots, search engine, 716
 - Root DNS servers, 136–140
 - Round robin queuing, 255–256
 - Round-trip time (RTT), 104–105
 - Routers, 4, 33–34
 - forwarding tables, 33–34
 - packet switches as, 4, 33–34
 - packet-switched networks and, 33–34
 - Routing, 33–34
 - protocol, 33–34
 - rows attribute, 635, 805, 809
 - rows, table, 594–595, 597
 - rowspan attribute, 594–595, 803
 - RSS feed, 723
 - Ruby on Rails, 656
 - rules attribute, 802
 - rules of precedence, 570–571
- S**
- Safari, 402
 - <samp>, 308, 797
 - sans-serif, 353
 - Satellite radio channels, 24–25
 - Scalability, P2P, 147–151
 - scope attribute, 597–598, 803
 - screen resolution, 457
 - screens, 567–568
 - <script>, 746, 791–792, 833–834
 - script element, 746
 - scroll bar, 518, 562
 - scrollbar-arrow-color property, 504, 823
 - scrollbar-face-color property, 504, 823
 - scrollbar-track-color property, 504, 824
 - scrolling attribute, 729, 806–807
 - scrolling, horizontal, 454
 - scrolling text box, 631, 634–635
 - search directories
 - monitoring, 720–722
 - preferential placement and, 717–718
 - submission to, 717
 - search engine optimization (SEO)
 - description of, 714–717
 - site maps for, 719–720
 - search engine robots, 716
 - search engines
 - alliances and, 720
 - components of, 713–714
 - designing your pages for, 714–716
 - explanation of, 712
 - monitoring, 720–722
 - preferential placement and, 717–719
 - submissions to, 717
 - types of popular, 712–713
 - Section 508, 468–469
 - Secure Electronic Transaction (SET), 686
 - Secure Sockets Layer (SSL), 96
 - authentication and, 685
 - explanation of, 677, 683
 - extended validation, 683
 - key derivation, 73
 - TCP security, 96
 - security, 56–61, 94
 - application-layer, 94
 - attacks, 56–61
 - computer networks, 56–61
 - denial-of-service (DoS) attacks, 58–59
 - digital certification and, 684–685
 - e-commerce and, 677, 680–685
 - encryption and, 681–682
 - integrity and, 682
 - IP spoofing, 60
 - malware, 57–58
 - man-in-the-middle attacks, 60–61
 - packet sniffers, 59–60
 - secure sockets layer and, 683, 685
 - Segments, 52, 54–56
 - transport-layer, 52, 54–56
 - seizures, 468
 - <select>, 631, 635, 810
 - select list, 631, 635–636