

- selected attribute, 636, 811
 - selector, 343
 - self-contained tags, 830–831
 - semantic inline elements, 835
 - Semantic Web, 488, 553
 - semantically correct code, 553
 - Sequence numbers, 219, 233
 - field, 233
 - jitter removal using, 219
 - serif, 353
 - serif fonts, 463
 - Server farm, 88
 - Server program, 12
 - Servers, 11–12, 90–91
 - server-side maps, 413
 - server-side processing
 - explanation of, 652–653, 742
 - privacy and, 655
 - resources for, 656
 - technologies for, 656
 - use of, 653–654
 - server-side scripts, 653–654, 656
 - serv-side scripting, 652
 - Session Initiation Protocol (SIP), 239–245
 - addresses, 242
 - call establishment, 240–242
 - messages, 242–243
 - proxy server, 243–245
 - registrar, 243–245
 - shape attribute, 801
 - shape coordinates, 412
 - shopping cart software, 689–690
 - Simple Mail Transfer Protocol (SMTP), 52, 122–129
 - application-layer protocol, 52, 122–129
 - electronic mail (e-mail), 122–129
 - HyperText Transfer Protocol (HTTP) compared to, 126
 - mail access, 127–129
 - site maps
 - creation of, 445
 - for search engine optimization, 719–720
 - search features and, 449–450
 - site search, 449–450
 - size attribute, 631–632, 636, 796, 809–810
 - Skype P2P application, 158–159
 - Slideshare, 723
 - <small>, 309, 797
 - smart card, 687
 - smartphones, 568
 - social bookmarking, 723
 - social media optimization, 723–724
 - social networking, 723
 - Socket programming, 91–92, 160–178
 - Application Programming Interface (API), 92
 - client-server applications, 163–178
 - interface between process and network, 91–92
 - Java applications, 163–170, 172–178
 - streams, 162–163
 - Transmission Control Protocol (TCP), 160–170
 - User Datagram Protocol (UDP), 170–178
 - Sockets, 91
 - Soft state signaling approach, 270
 - , 359–360, 750, 795
 - src attribute, 400–401, 729, 791, 800, 806–807, 809, 815
 - Stack, protocol layers, 51
 - Standard Generalized Markup Language (SGML), 288
 - Standard input/output, 163
 - start attribute, 796
 - Starvation, 212
 - State of user information, 119
 - Stateless protocol, 102
 - Statistical multiplexing, 31–32
 - stickiness, 726
 - sticky site features, 726
 - Store-and-forward transmission, 30
 - Streaming, 199–201, 207–216, 222, 225–226
 - client buffer, 210–212
 - Internet services, 207
 - jitter removal by, 208, 222
 - live audio and video, 200–201
 - media player, 208
 - packet loss recovery, 225–226
 - real-time streaming protocol (RTSP), 208, 212–216
 - receiver-based audio recovery, 225–226
 - server, 210–212
 - stored audio and video, 199–200, 207–212
 - Web server access, 208–210
 - Streams, socket programming and, 162–163
 - <strike>, 309, 797
 - , 307–308, 797
 - storefronts, 688–690
 - <style>, 349, 792
 - style attribute, 347–348, 794
 - style sheets
 - external, 361–365
 - handheld, 569
 - <sub>, 309, 797
 - submit, 753
 - submit button, 631, 636–637, 764
 - subtraction operator, 760
 - summary attribute, 592, 802
 - Sun Microsystems, 742
 - <sup>, 309, 797
 - Switches, 4
 - link-layer, 4
 - symmetric-key encryption, 681–682
 - Synchronization source identifier (SSRC), 234
- T**
- tabindex attribute, 645, 799, 809–810
 - <table>, 586, 589, 592, 596, 802–803
 - table of contents, 448
 - table section tags, 804
 - tables
 - accessibility and, 596–598
 - attributes of, 589–595
 - CSS properties to style, 607–610
 - fixed-width, 603
 - flexible-width, 602
 - headings for, 587–588
 - nested, 605–607
 - overview of, 586–587
 - page layout for, 599–605, 612
 - row groups of, 598
 - rows and cells and, 592–595
 - XHTML code for, 611
 - tags
 - applying style rules and, 572
 - explanation of, 288–289
 - Tahir, Marie, 455
 - target attribute, 545, 799–800, 808
 - target audience, 439, 454–456
 - taxation, e-commerce and, 680–681
 - <tbody>, 598, 804
 - <td>, 586, 589, 592–593, 605–606, 803
 - Telco, 12–14
 - Terrestrial radio channels, 24
 - text
 - accessibility and, 468
 - design features for, 462–463
 - text attribute, 793
 - text box, 631
 - text formatting
 - logical style elements and, 307–308

- physical style elements
 - and, 308–309
 - special XHTML characters
 - and, 309–311
 - text-align property, 344, 354, 365, 504, 824
 - <textarea>, 631, 634, 809–810
 - text-decoration property, 343, 354, 824
 - text-indent property, 824
 - text-transform property, 504, 824
 - <tfoot>, 598, 804
 - <th>, 587, 804
 - <thead>, 598, 804
 - three click rule, 442
 - three-column page layout, 555–562
 - Three-way handshake, 162–163
 - Throughput, 45–48, 93
 - application layer, 93
 - average, 45
 - bandwidth-sensitive applications, 93
 - elastic applications, 93
 - instantaneous, 45
 - network security and, 45–48
 - thumbnail image, 413
 - Time-division multiplexing (TDM), 27–29
 - Times New Roman, 353
 - Timestamps, 219, 233
 - Timing, application layer, 93–94
 - <title>, 290, 294, 310, 715, 790
 - title attribute, 401, 592, 729, 794, 799–800, 803, 805–807, 809–812
 - top property, 492, 504, 824
 - Top-down approach, 51
 - Top-level domain (TLD) servers, 136–140
 - topmargin attribute, 793
 - <tr>, 586, 592–593, 606, 803
 - Traceroute programs, 43–44
 - Traffic profiles, Diffserv, 262–263
 - Transitional XHTML, 289, 299, 319, 747, 753
 - Transmission Control Protocol (TCP), 5, 52, 94–97, 101–105, 160–170
 - application-layer services, 52, 94–95, 97, 101–105, 160–170
 - byte-stream service, 162–163
 - client-server application, 163–170
 - HyperText Transfer Protocol (HTTP) and, 101–105
 - Internet provisions, 94–95
 - Java application, 163–170
 - non-persistent connections, 102–105
 - persistent connections, 105
 - round-trip time estimation, 25–196
 - Secure Sockets Layer (SSL), 96
 - socket programming using, 160–170
 - three-way handshake, 162–163
 - transport-layer applications, 52, 94–95, 97
 - Transmission delay, 37–40
 - Transmission rate, 4
 - transparency, GIF images and, 396
 - Transport layer, 52, 55, 92–98
 - application layer, services for, 92–98
 - Internet and, 94–96
 - protocol, 52
 - reliable data transfer, 92–93
 - security services, 94
 - segments, 52, 55
 - TCP services, 52, 94–95, 97
 - throughput services, 93
 - timing services, 93–94
 - UDP services, 52, 95–97
 - Trojan horse, 58
 - <tt>, 309, 797
 - Tweets, 723
 - Twisted-pair copper wire, 22–23
 - Twitter, 723
 - two-column page layout, 512–517
 - .txt, 293
 - type attributes, 303–306, 791, 796, 808, 812, 814–815
- U**
- <u>, 309, 797
 - , 304, 796
 - Unchoked peers, 152–153
 - underagerock.com, 455
 - Unguided media, 22
 - Unicode, 290, 789
 - United States Mint, 454
 - unload, 753
 - unordered lists, 304–306, 356, 553
 - uppercase, HTML 4 vs. HTML 5 and, 829–830
 - U.S. Census Bureau, 462
 - usability
 - handheld devices and, 567–568
 - usemap attribute, 411, 801
 - Usenet newsgroups, 727
 - User agents, 122
 - User Datagram Protocol (UDP), 52, 95–97, 170–180
 - application-layer services, 52, 95–97, 170–180
 - client-server application, 170–180
 - Internet applications using, 95–97
 - Java application, 172–178
 - socket programming using, 170–180
 - transport-layer applications, 52, 95–97
 - UTF-8, 290, 789–790
- V**
- validation
 - code, 716
 - XHTML, 317–319, 367
 - valign attribute, 595, 607, 803
 - value attribute, 631–634, 636–639, 648, 809, 811–812
 - <var>, 308, 797
 - variables, 756–760
 - | (vertical bar), 310
 - vertical-align property, 504, 824
 - video files
 - object element and, 618–672
 - Video systems, 199–201, 204–216
 - client buffer, 210–212
 - compression, 204–206
 - Internet streaming services, 207
 - live, 200–201
 - media player, 208
 - real-time streaming protocol (RTSP), 208, 212–216
 - stored, 199–200, 207–212
 - streaming, 199–201, 208–212
 - streaming server access, 210–212
 - Web server access, 208–210
 - Viruses, 57
 - visibility property, 504, 824
 - visited pseudo-class, 548, 825
 - vlink attribute, 793
 - vspace attribute, 401–402, 801
- W**
- WCAG 2.0, 468–469
 - Web Accessibility Initiative (WAI), 416
 - Web analytics, 721–722
 - Web browsers, 101
 - compatibility of, 470
 - trends in, 288
 - Web site design and, 456–457
 - Web cache (proxy server), 112–116
 - Web Color Palette, 345–346
 - Web Content Accessibility Guidelines 2.0 (WCAG 2.0), 467–468
 - Web design.
 - above the fold technique and, 453

- accessibility and, 464–465, 467–469
- alignment and, 451
- best practices checklist for, 469–471
- browser-friendly, 456–457
- components of, 451–452
- contrast and, 451
- for Web promotion, 714–716
- graphics and, 463–466
- horizontal scrolling and, 454
- load time and, 452–453
- location and, 453
- page layout elements of, 459–462
- proximity and, 451
- repetition and, 450–451
- screen resolution and, 457
- target audience and, 454–456
- text issues and, 462–463
- usability and, 567–568
- white space and, 454
- wireframes and page layout and, 457–459
- Web page editors, 291
- Web pages, 100–101
 - centering content of, 366–367
 - creation of, 290–294
 - external style sheets and, 570
 - HyperText Transfer Protocol (HTTP) for, 100–101
 - JavaScript added to, 746–749
 - location issues for, 453
 - short, 448
 - tables on, 586–598
 - writing variables to, 756–758
- Web Project (case study), 480–481, 540–541, 582, 623, 671–672, 708, 737, 784
- Web promotion
 - affiliate programs and, 724
 - banner ads and, 724–725
 - banner exchange and, 725
 - designing pages for, 714–716
 - inline frames and, 727–731
 - link popularity and, 722–723
 - listings in search engine and search index and, 717–720
 - listserv postings and, 727
 - media ads and, 727
 - monitoring search listings and, 720–722
 - newsgroups and, 727
 - newsletters and, 726
 - personal recommendations and, 726
 - reciprocal link agreements and, 725
 - social media optimization and, 723–724
 - sticky site features and, 726
 - Web design for, 714–716
 - Web rings and, 727
 - Web rings, 727
 - Web safe color, 346
 - Web Safe Color Palette, 345
 - Web servers, 101–102, 208–210
 - audio/video access through, 208–210
 - HyperText Transfer Protocol (HTTP) for, 101–102
 - metfiles, 209–210
 - Web services, 656
 - Web site organization
 - hierarchical, 441–444
 - linear, 444
 - random, 444–445
 - types of, 440–441
 - Web sites
 - for images, 415
 - navigation of, 445–450
 - search engines and, 714–716
 - site maps for, 445
 - target audience for, 439
 - Web-based e-mail, 131–132
 - Webmaster (Google), 719
 - WebPosition, 722
 - WebSphere Commerce Studio (IBM), 689
 - WebSphere Commerce Suite (IBM), 689
 - Weighted fair queuing (WFQ), 256–257
 - well-formed documents, 289
 - white space, 454, 463
 - Wide-area wireless access, 20–21
 - width attribute, 400–401, 591, 607, 729–730, 801, 803, 807, 814–815
 - width property, 344, 366, 504, 825
 - WiFi, 20
 - WiMax (IEEE 802.16), 21
 - window object, 750
 - wireframes, 457–459
 - Wireless networks, 20
 - access, 20–21
 - local area networks (LAN) and, 20
 - wide-area access, 20–21
 - WiFi (IEEE 802.11), 20
 - WiMax (IEEE 802.16), 21
 - World Wide Web, 66–67, 100–118
 - conditional GET mechanism, 116–118
 - cookies, 110–112
 - development of, 66–67
 - HyperText Transfer Protocol (HTTP) and, 100–112
 - Web cache (proxy server), 112–116
 - World Wide Web Consortium (W3C)
 - CSS and, 342, 345
 - function of, 288–289
 - recommendations of, 486, 489, 787, 790
 - Web accessibility and, 467
 - XHTML validation and, 317–319, 367
 - WorldNet (Princeton University), 441
 - Worms, 57–58

X

 - XHTML 1.0, 289–290
 - XHTML 1.0 Frameset, 289
 - XHTML 1.0 Strick, 289
 - XHTML 1.0 Transitional, 289, 299, 319
 - XHTML (Extensible Hypertext Markup Language)
 - basic tags of, 789–790
 - block-level elements of, 794–795
 - body and text messages and, 295–301
 - core attributes of, 793–794
 - CSS property references and, 817–825
 - Document Type Definition and, 289–290
 - explanation of, 287–289
 - form element tags of, 808–812
 - form tags of, 807–808
 - frames tags of, 804–807
 - graphic tags of, 800–802
 - hyperlinks and, 311–316
 - Hypertext Markup Language vs., 288–289
 - layout tables and, 489
 - list basics and, 301–306
 - list tags of, 795–796
 - miscellaneous tags of, 812–815
 - syntax guidelines for, 788–789
 - table section tags of, 804
 - table tags of, 802–804
 - text formatting and, 307–311
 - text-level elements of, 796–800
 - Transitional, 289, 299, 319, 747, 753
 - validation and, 317–319
 - Web pages and, 290–294