

Program Analysis Tools

Steven J Zeil

April 18, 2013

Contents

1	ASTs	4
2	Data Flow Analysis	9
3	Static Analysis Tools	23
3.1	Style and Anomaly Checking	23

3.2	Reverse Compilers & Obfuscators	28
4	Dynamic Analysis Tools	30
4.1	Pointer/Memory Errors	32
4.2	Profilers	35



Analysis Tools

- Static Analysis
 - style checkers
 - data flow analysis
- Dynamic Analysis
 - Memory use monitors
 - Profilers

.....

Analysis Tools and Compilers

Analysis tools, particularly static, share a great deal with compilers

- Need to parse code & perform limited static analysis



- Generally working from ASTs
- Some exceptions (working from object code or byte code)
- Data flow techniques originated in compiler optimization


.....

1 ASTs

Abstract Syntax Trees




- Output of a language parser
 - Simpler than parse trees
- Generally viewed as a generalization of operator-applied-to-operands



Abstract Syntax Trees (cont.)




- ASTs can be applied to larger constructions than just expressions
- In fact, generally reduce entire program or compilation unit to one AST




Abstract Syntax Trees (cont.)





Abstract Syntax Graphs





- Semantic analysis pairs uses of variables with declarations
 - Transforming the AST into an ASG



.....

2 Data Flow Analysis

Data Flow Analysis

- All data-flow information is obtained by propagating data flow markers through the program.
- The usual markers are
 - $d(x)$: a definition of variable x (any location where x is assigned a value)
 - $r(x)$: a reference to x (any location where the value of x is used)
 - $u(x)$: an undefinition of x (any location where x becomes undefined/i-legal)

.....



Propagation of Markers

For each node (basic block) in the control flow graph, we define


- $gen(n)$ = set of data-flow markers generated within node n .
- $kill(n)$ = set of data-flow markers killed within node n .
- $in(n)$ = set of data-flow markers entering node n from elsewhere.
- $out(n)$ = set of data-flow markers leaving node n to go elsewhere.

The basic data flow problem is to find $in()$ and $out()$ for each node given the control flow graph and the $gen()$ and $kill()$ sets for each node.

.....

Sample CFG





```

procedure SQRT (Q, A, B: in float; n0
                X: out float);
// Compute X = square root of Q,
//   given that A <= X <= B
  X1, F1, F2, H: float;
begin
  X1 := A;
  X2 := B;
  F1 := Q - X1**2;
  H := X2 - X1;
  while (ABS(H) >= 0.001) loop
    F2 := Q - X2**2;
    H := - F2 * ((X2-X1)/(F2-F1));
    X1 := X2;
    X2 := X2 + H;
    F1 := F2;
  end loop;
  X := (X1 + X2) / 2.;
end SQRT;
  
```

.....

Reaching Definitions

A definition $d_i(x)$ *reaches* a node n_j iff there exists a path from n_i to n_j on



which x is neither defined nor undefined.

.....

The Reaching DF Problem

$gen(n)$ = set of definitions occurring in n and reaching the end of n .

$kill(n)$ = set of all definitions $d_i(x)$ in the CFG such that x is defined or undefined within n .


$$in(n) = \bigcup_{m \in pred(n)} out(m)$$

$$out(n) = (in(n) - kill(n)) \cup gen(n)$$

.....

Sample Nodes





$$gen(n_0) = \{d_0(Q), d_0(A), d_0(B)\}$$

$$gen(n_1) = \{d_1(X1), d_1(X2), d_1(F1), d_1(H)\}$$

$$gen(n_2) = \{\}$$

$$gen(n_3) = \{d_3(F2), d_3(H), d_3(X1), d_3(X2), d_3(F1)\}$$

$$gen(n_4) = \{d_4(X)\}$$

$$gen(n_5) = \{\}$$

.....

Sample Nodes (kill)



$$\begin{aligned} \text{kill}(n_0) = & \{d_0(Q), d_0(A), d_0(B), d_1(X1), d_1(X2), \\ & d_1(F1), d_1(H), d_3(F2), d_3(H), d_3(X1), \\ & d_3(X2), d_3(F1), d_4(X)\} \end{aligned}$$

$$\begin{aligned} \text{kill}(n_1) = & \{d_1(X1), d_1(X2), d_1(F1), d_1(H), d_3(H), \\ & d_3(X1), \} \end{aligned}$$

$$\text{kill}(n_2) = \{ \}$$

$$\begin{aligned} \text{kill}(n_3) = & \{d_1(X1), d_1(X2), d_1(F1), d_1(H), d_3(F2), \\ & d_3(H), d_3(X1), d_3(X2), d_3(F1)\} \end{aligned}$$


$$\text{kill}(n_4) = \{d_4(X)\}$$

$$\begin{aligned} \text{kill}(n_5) = & \{d_0(Q), d_0(A), d_0(B), d_1(X1), d_1(X2), \\ & d_1(F1), d_1(H), d_3(F2), d_3(H), d_3(X1), \\ & d_3(X2), d_3(F1)\} \end{aligned}$$



.....

Solving for Reaching Defs



Solving iteratively, we start with $in(n) = out(n) = \{\}$, and propagate definitions.

First Iteration:

$$in(0) = \{\}$$

$$out(0) = gen(0)$$

$$in(1) = gen(0)$$


$$out(1) = gen(0) \cup gen(1)$$

.....



Iteration 1 (cont.)





$$in(2) = gen(0) \cup gen(1)$$

$$out(2) = gen(0) \cup gen(1)$$

$$in(3) = gen(0) \cup gen(1)$$

$$out(3) = \{d_0(Q), d_0(A), d_0(B), d_3(F2), d_3(H), d_3(X1), d_3(X2), d_3(F1)\}$$

$$in(4) = gen(0) \cup gen(1)$$


$$out(4) = gen(0) \cup gen(1) \cup \{d_4(X)\}$$

$$in(5) = gen(0) \cup gen(1) \cup \{d_4(X)\}$$

$$out(5) = \{d_4(X)\}$$



Iteration 2



$in(0) = \text{unchanged}$

$out(0) = \text{unchanged}$

$in(1) = \text{unchanged}$

$out(1) = \text{unchanged}$

$in(2) = gen(0) \cup gen(1) \cup \{d_3(F2),$

$d_3(H), d_3(X1), d_3(X2), d_3(F1)\}$


$out(2) = gen(0) \cup gen(1) \cup \{d_3(F2), d_3(H),$

$d_3(X1), d_3(X2), d_3(F1)\}$

.....

Iteration 2 (cont.)





$$in(3) = gen(0) \cup gen(1) \cup \{d_3(F2), d_3(H), d_3(X1), d_3(X2), d_3(F1),\}$$

$$out(3) = \text{unchanged}$$

$$in(4) = gen(0) \cup gen1 \cup \{d_3(F2), d_3(H), d_3(X1), d_3(X2), d_3(F1),\}$$

$$out(4) = gen(0) \cup gen1 \cup \{d_3(F2), d_3(H), d_3(X1), d_3(X2), d_3(F1), d_4(X)\}$$

$$in(5) = gen(0) \cup gen1 \cup \{d_3(F2), d_3(H), d_3(X1), d_3(X2), d_3(F1), d_4(X)\}$$

$$out(5) = \text{unchanged}$$



Data Flow Anomalies

The reaching definitions problem can be used to detect anomolous patterns that *may* reflect errors.

- *ur anomalies*: if an undefinition of a variable *reaches* a reference of the same variable
- *dd anomalies*: if a definition of a variable *reaches* a definition of the same variable
- *du anomalies*: if a definition of a variable *reaches* an undefinition of the same variable

.....

Available Expressions

An expression e is *available* at a node n iff every path from the start of the program to n evaluates e , and iff, after the last evaluation of e on each such path, there are no subsequent definitions or undefinitions to the variables in e .

.....



The Available DF Problem

$gen(n)$ = set of expressions evaluated in n containing no variables subsequently defined or undefined within n .

$kill(n)$ = set of all expressions in the program containing variables that are defined or undefined within n .

$$in(n) = \bigcap_{m \in pred(n)} out(m)$$

$$out(n) = (in(n) - kill(n)) \cup gen(n)$$

.....

Live Variables

A variable x is *live* at node n iff there exists a path starting at n along which x is used without prior redefinition.

.....



The Live Variable DF Problem

$gen(n)$ = set of variables used in n without prior definition.

$kill(n)$ = set of variables defined within n .

$$in(n) = gen(n) \cup (out(n) - kill(n))$$

$$out(n) = \bigcup_{m \in succ(n)} in(m)$$

.....

Data Flow and Optimization



Optimization Technique	Data-Flow Information
Constant Propagation	reach
Copy Propagation	reach
Elimination of Common Subexpressions	available
Dead Code Elimination	live, reach
Register Allocation	live
Anomaly Detection	reach
Code Motion	reach

.....

3 Static Analysis Tools

3.1 Style and Anomaly Checking

Lint

Perhaps the first such tool to be widely used, **lint** (1979) became a staple tool for C programmers.

Combines static analysis with style recommendations, e.g.,



- data flow anomalies
- potential arithmetic overflow
 - e.g., storing an *int* calculation in a *char*
- conditional statements with constant values
- potential = versus == confusion

.....

Is there room for lint-like tools?

- **lint** was a response, in part, to the weak capabilities of early C compilers
- Much of what **lint** does is now handled by optimizing compilers
 - However compilers seldom do cross-module or even cross-function analysis

.....



FindBugs

- Open source project from U.Md.
- Works on compiled Java bytecode
- Sample report
- Can be run via
 - GUI
 - ant
 - Eclipse
 - maven

.....



What Bugs does FindBugs Find?

- “Bugs” categorized as
 - Correctness bug: an apparent coding mistake
 - Bad Practice: violations of recommended coding practices.
 - Dodgy: code that is “confusing, anomalous, or written in a way that leads itself to errors”
- Bugs are also given “priorities” (p1, p2, p3 from high to low)
- Bug list

.....

PMD

- PMD, source analysis for Java, JavaScript, XSL



- CPD, “copy-paste-detector” for many programming languages
- Works on source code
- Sample reports (PMD & CPD)
- Can be run via bii ant
 - maven
 - eclipse

.....

PMD Reports

- Configured by selecting “rule set” modules
 - Otherwise, appears to lack categories & priorities
- Cross reference to source location

.....



3.2 Reverse Compilers & Obfuscators

Reverse Compilers

a.k.a. “uncompilers”

- Generate source code from object code
- Originally clunky & more of a curiosity than usable tools
 - Improvements based on
 - * “deep” knowledge of compilers (aided by increasingly limited field of available compilers)
 - * Information-rich object codes (e.g., Java bytecode formats)
- Legitimate uses include
 - reverse-engineering
 - generating input for source-based analysis tools
- But also great tools for plagiarism



.....

Java and Decompilation

- Java is a particularly friendly field for decompilers
 - Rich object code format
 - Nearly monopolistic compiler suite
- Options for “protecting” programs compiled in Java:
 - **gjc**: compile into native code with a far less popular compiler
 - obfuscators

.....

Java Obfuscators

Work by a combination of



- Renaming variables, functions, and classes to meaningless, innocuous, and very similar name sets
 - Challenge is to preserve those names of entry points needed to execute a program or applet or make calls upon a library's public API
 - Stripping away debugging information (e.g., source code file names and line numbers associated with blocks of code)
 - Applying optimization techniques to reduce code size while also confusing the object-to-source mapping

Example, yguard

.....

4 Dynamic Analysis Tools

Dynamic Analysis Tools

Not all useful analysis can be done statically



- Profiling
 - Memory leaks, corruption, etc.
 - Data structure abuse
-

Abusing Data Structures

- Traditionally, the C++ standard library does not check for common abuses such as over-filling and array or accessing non-existent elements
 - Various authors have filled in with “checking” implementations of the library for use during testing and debugging
 - In a sense, the **assert** command of C++ and Java is the language’s own extension mechanism for such checks.
-



4.1 Pointer/Memory Errors

Memory Abuse

- Pointer errors in C++ are both common and frustrating
 - Traditionally unchecked by standard run-time systems
- Monitors can be added to help catch these
 - In C++, link in a replacement for `malloc` & `free`

.....

How to Catch Pointer Errors

- Use *fenceposts* around allocated blocks of memory
 - check for unchanged fenceposts to detect over-writes



- Check for fenceposts before a delete to detect attempts to delete addresses other than the start of an allocated block
- Add tracking info to allocated blocks indicating location of the allocation call
 - Scan heap at end of program for unrecovered blocks of memory
 - Report on locations from which those were allocated
- Add a “freed” bit to allocated blocks that is cleared when first allocated and set when the block is freed
 - Detect when a block is freed twice

.....

Memory Analysis Tools

- Purify is a well-known commercial (pricey) tool



- At the other end of the spectrum, LeakTracer is a small, simple, but capable open source package that I've used for many years
 - Works with gcc/g++/gdb compiler suite

```
~/p/arc# ea/LeakTracer/leak-analyze ./arc
Gathered 8 (8 unique) points of data.
(gdb)
Allocations: 1 / Size: 36
0x80608e6 is in NullArcableInstance::NullArcableInstance(void)
39     public:
40         NullArcableInstance() : ArcableInstance(new Null

Allocations: 1 / Size: 8
0x8055b02 is in init_types(void) (Type.cc:119).
118 void init_types() {
119     Type::Integer = new IntegerType;
```



```
Allocations: 1 / Size: 132 (new[])
0x805f4ab is in Hashtable<NativeCallable, String, false, true>
14 Hashtable (uint _size = 32) : size(_size), count(0) {
15 table = new List<E, own> [size];
```

.....

4.2 Profilers

Profilers

Profilers provide info on where a program is spending most of its execution time

- May express measurements in
 - Elapsed time
 - Number of executions
- Granularity may be at level of



- functions
- individual lines of code
- Measurement may be via
 - Probes inserted into code
 - Statistical sampling of CPU program counter register

.....

Profiling Tools

- **gprof** for C/C++, part of the GNU compiler suite
 - Refer back to earlier lesson on statement and branch coverage
 - **gprof** is, essentially, the generalization of **gcov**
- **jvisualm** for Java, part of the Java SDK



- Provides multiple monitoring tools, including both CPU and memory profiling

.....

